1970 ANNUAL INDEXES

Textile Research Journal

Volume XL

MONTH	PAGES	MONTH	PAGES
January	1–92	July	583–676
February	93–202	August	677–770
March	203–296	September	771–864
April	297–394	October	865–958
May	395–488	November	959–1052
June	489–582	December	1053–1142

L = Letter to the Editor

AUTHOR AND TITLE INDEX

Abbott, N. J. Wrinkled Fabrics, Optical Illusions, and FRL® Topometer . . . 1026
Alford, J. L. Measurement of Fiber Mixing in Yarns (*Bogdan, Hader*) . . . 415
Ames, William F. Waves in Tires. Part I: Literature Review on Waves . . . 498
Waves in Tires. Part II: Traveling-Wave Analysis . . . 504
Anderson, C. A. Scanning Electron Microscopy of the Cortex and Cuticle of Wool and Hair Fibers (*Haly, Snaith*)—L . . . 1126
Scanning Electron Microscopy of Fiber Cross Sections (*Lipson*)—L . . . 88
Stereoscan Microscopy of Chlorine/Resin-Treated Wool (*Katz, Lipson, Wood*) . . . 29
Anderson, R. L. A Degradation-Profile Comparison Technique for Mass Spectrometric Analysis of Water-Soluble Cellulose Ethers (*Harless*) . . . 448
Anton, Anthony Relation Between Dielectric Constant and Antistatic Effectiveness of Spin Finishes—L . . . 954
Armstrong, L. D. The Swelling and Supercontraction of Sulfur-Enriched Wool Fibers (*Whiteley, Balasubramanian*)—L . . . 1047
Arthur, Jett C., Jr. Photochemistry of Cotton Cellulose. The Direct Action of Near-Ultraviolet Light on Purified Cotton Cellulose (*Reine*)—L . . . 90
Rot Resistance of Some Furan Derivatives of Cotton Cellulose (*Singh*)—L . . . 1128
Thermal Behavior of ^{60}Cobalt-Irradiated Cellulose (*Byrne*)—L . . . 578
Asquith, R. S. A Study of Ultraviolet Yellowing of Amino Acids, Peptides, and Soluble Proteins (*Hirst, Rivett*) . . . 285
The Formation of Mixed Disulfides by the Action of Thioglycollic Acid on Wool—Cystine and its Relationship to Wool Setting (*Puri*) . . . 273
The Interaction of Wool with Cold Urea Solutions (*Booth*) . . . 410

Baird, K. Felting Shrinkage and Dimensional Properties of Hand-Knitted Wool Fabrics . . . 1064
Felting Shrinkage of Plain-Knitted Wool Fabrics. Its Dependence on Fabric Structure and Wash Action for a Dry Chlorination Treatment (*Foulds*) . . . 628
Bajaj, P. Synthesis of Methylol Fatty Alkyl Carbamates and Their Applications to Cotton (*Sattur, Chipalkatti*) . . . 370
Balasubramanian, E. The Swelling and Supercontraction of Sulfur-Enriched Wool Fibers (*Whiteley, Armstrong*)—L . . . 1047
Balasubramanian, N. Effect of Processing Factors and Fiber Properties on the Arrangement of Fibers in Blended Yarns . . . 133
Barella, A. Principles of a New Procedure for Measuring Yarn Hairiness. Application to the Study of the Hairiness of Open-End Yarns (*Viaplana*) . . . 267
Barker, Robert H. Principles of Reactivity of Nitrogenous Agents with Cotton (*Vail, Kullman, Reeves*) . . . 355
Basch, A. The Determination of Pentachlorophenol and Pentachlorophenol Laurate (*Hirschmann*)—L . . . 670
The Determination of Phosphorus in Cellulosic Fabrics (*Wasserman*)—L . . . 676
Basu, S. N. Biological Degradation of Tamarind Kernel Paste Used in Jute Warp Sizing (*Datta*) . . . 728
Beattie, C. L., III Preliminary Studies of the Fractography of Fibers and Other Polymeric Materials in the Scanning Electron Microscope (*McKee*) . . . 1006
Benerito, Ruth R. Anion-Exchange Cottons Prepared from Sodium Cellulosate (*Berni, Soignet*) . . . 999
Mixed Catalyst Systems for Reactions of Cotton with Dimethyloethyleneurea or Dimethyloldihydroxyethyleneurea (*Berni, Gonzales*) . . . 377
Berbeco, G. R. Hydrophilic Polymer Surfaces Via Radiation-Chemical Treatments (*Hoffman*) . . . 975
Berni, Ralph J. Anion-Exchange Cottons Prepared from Sodium Cellulosate (*Soignet, Benerito*) . . . 999
Mixed Catalyct Systems for Reactions of Cotton with Dimethylolethyleneurea or Dimethyloldihydroxyethyleneurea (*Gonzales, Benerito*) . . . 377
Thermal Investigations of Diethylaminoethyl-Substituted Cotton Cellulose (*Hobart, Mack*) . . . 1079

Bertoniere, N. R. Gel-Permeation Properties of Cellulose. II: Comparison of Structures of Decrystallized Cotton Cross-Linked With Formaldehyde by Various Processes (*Martin, Blouin, Brannan, Rowland*) . . . 8
Betrabet, Shridhar M. Electron-Microscope Study of Cotton Treated with Inter- and Intracrystalline Swelling Agents (*Rollins*) . . . 917
Bhagwanth, M. R. R. Mechanism of Dyeing Cellulose with Sodium β-Arylsulfonylethyl Sulfates (Remazols) (*Daruwalla, Sharma, Venkataraman*)—L . . . 392
Billica, H. R. Motion Picture Presentation of Stress-Strain Behavior Viewed in a Scanning Electron Microscope (*Van Veld, Bryant*)—L . . . 1138
Studies in Soiling and Detergency. Part IV: Deposition and Transfer Experiments With Fatty Soils (*Grindstaff, Patterson*) . . . 35
Blažej, A. Thermal Degradation of Wool (*Michlík, Klinger, Šetnička, Krhoška*)—L . . . 484
Blouin, F. A. Gel-Permeation Properties of Cellulose. Part IV: Changes in Pore Structure of Fibrous Cotton Produced by Cross-Linking with Formaldehyde (*Martin, Rowland*) . . . 959
Gel-Permeation Properties of Cellulose. II: Comparison of Structures of Decrystallized Cotton Cross-Linked With Formaldehyde by Various Processes (*Martin, Bertoniere, Brannan, Rowland*) . . . 8
Gel-Permeation Properties of Cellulose. Part III: Measurement of Pore Structure of Unmodified and Mercerized Cottons in Fibrous Form (*Martin, Rowland*) . . . 809
Bogdan, J. F. Measurement of Fiber Mixing in Yarns (*Hader, Alford*) . . . 415
Booth, A. K. The Interaction of Wool with Cold Urea Solutions (*Asquith*) . . . 410
Brand, R. H. Measurement of Three-Dimensional Fiber Crimp (*Kende*) . . . 169
Brannan, M. A. F. An Exploratory Characterization of Cotton Cellulose Modified with Tris(2-chloroethyl)phosphoramide (*Roberts, Rowland*) . . . 699
Gel-Permeation Properties of Cellulose. II: Comparison of Structures of Decrystallized Cotton Cross-Linked With Formaldehyde by Various Processes (*Martin, Bertoniere, Blouin, Rowland*) . . . 8
Introduction and Removal of Durable Creases in Wrinkle-Resistant Cotton Fabric (*Rowland*) . . . 607
Nature and Proportion of Cross Links in a Chemically Modified Cotton Cellulose (*Roberts, Rowland*) . . . 237
Variations in a Delayed-Curing Cotton Via Internal Catalysis of Reaction With Divinyl Sulfone (*Rowland*) . . . 101
Breckenridge, J. R. Effect of Laundering and Starching on Insulation and Vapor Permeability of Standard Fatigues (*Levell, Goldman*) . . . 281
Bredereck, K. Formation and Characterization of Potassium Cellulosates (*Weigmann, Rebenfeld*) . . . 820
Brenner, W. Vapor-Phase Deposition of Surface Polymers and Cross-Linking on Cotton Fabrics (*Rugg, Liu*) . . . 318
Broughton, Royall M. Location and Distribution of N-Methylol Acrylamide in the Radiation-Induced Delayed-Cure Process (*Rollins, Walsh*)—L . . . 672
Brown, P. Moisture Characteristics of Some Knit Fabrics Made From Blend Yarns (*Knight, Hersh*) . . . 843
Brown, Peter The Effects of Tumble-Drying on Some Sensory and Physical Properties of Acrylic Knitwear . . . 536
Brown, T. D. The Separation of Relaxation and Felting Shrinkage (*Mehta*)—L . . . 480
Bryant, F. D. Motion Picture Presentation of Stress-Strain Behavior Viewed in a Scanning Electron Microscope (*Van Veld, Billica*)—L . . . 1138
Bubl, Janet L. Laundering Cotton Fabric. Part I: Effects of Detergent Type and Water Temperature on Soil Removal . . . 637
Bullock, Austin L. Evidence Regarding Relative Activations and Accessibilities of Cellulosic Hydroxyl Groups (*Rowland, Cirino*) . . . 313
Burgh, N. v.d. Some Effects of Caustic Soda Treatment on the Gross Structure of Cotton Fibers in Yarns (*Isines*)—L . . . 766
Byrne, Geoffrey A. Thermal Behavior of ^{60}Cobalt-Irradiated Cellulose (*Arthur*)—L . . . 577

Caldwell, J. B. Studies in Wool Yellowing. Part XXVIII: Inhibition of Sunlight Yellowing by Treatment With Methyl Isothiocyanate (*Milligan*)—L . . . 194
Cangemi, Sal J. The Iodine Sorption Test. Factors Affecting Reproducibility and a Semimicro Adaptation (*Nelson, Rousselle, Trouard*) . . . 872
Cannizzaro, Anna M. Microscopical Studies of Cottons Reacted in Vapor Phase (*Goynes, Rollins, Keating*) . . . 1087
Carra, J. H. Abrasion Phenomena in Durable-Press Cotton Fabrics. A Microscopical View (*Rollins, deGruy, Hensarling*) 903
Chan, Richard K. S. Surface Tension of Fluoropolymers. Part III: Study of Staining Behavior Through Contact Angles in Air and Under Water . . . 1059
Chapman, B. M. The Importance of Experimental Conditions on the Structural State of Keratin Fibers at Different Extensions as Indicated by X-ray Diffraction Patterns . . . 832
Chaudri, M. A. The Influence of Natural Variations in Fiber Properties on the Felting Characteristics of Loose Wool (*Whiteley*) . . . 297
The Relationships Between Loose-Wool Felting and Bulk Compressional Properties (*Whiteley*) . . . 775
Chipalkatti, V. B. Studies of Formaldehyde-Crosslinked Cellulose. Significance of Swelling at the Time of Cross-Linking (*Singh, Jain, Pande, Parikh*) . . . 940
Synthesis of Methylol Fatty Alkyl Carbamates and Their Applications to Cotton (*Bajaj, Sattur*) . . . 370
Chow, T. S. The Effect of Dry Friction on the Oscillatory Behavior of Fabrics (*Hermans*) . . . 982
Cirino, Vidabelle O. Evidence Regarding Relative Activations and Accessibilities of Cellulosic Hydroxyl Groups (*Bullock, Rowland*) . . . 313
Compton, Jack New Process for the Cyanoethylation of Cotton Fabrics (*Martin, Gagarine*) . . . 813
Clark, S. K. Response to Letter by Whitney (*Dodge*)—L . . . 387
Coad, J. R. The Nature of Variability in Keratin Fibers as Revealed by Creep Measurements (*Mottram*)—L . . . 1134
Connick, W. K., Jr. A Novel Polyfluorourea Finish for Cotton (*Ellzey*) . . . 185

Daigle, D. J. The Reaction of THPOH with Secondary Amines (*Reeves, Donaldson*)—L . . . 580
Daruwalla, E. H. Mechanism of Dyeing Cellulose with Sodium β-Arylsulfonylethyl Sulfates (Remazols) (*Bhagwanth, Sharma, Venkataraman*)—L . . . 392
Datta, Rekha Biological Degradation of Tamarind Kernel Paste Used in Jute Warp Sizing (*Basu*) . . . 728
Dardis, Rachel Investment Behavior in the United States Textile Industry (*Winn*) . . . 826
Datyner, A. A Method for the Determination of Alkyl Phenyl Polyoxyethylene Surfactants in Presence of Anionic Dyes (*Delaney*)—L . . . 665
Deanin, Rudolph D. Breathable, Permanent Water-Repellent Treatment of Cotton (*Patel*) . . . 970
deGruy, I. V. Abrasion Phenomena in Durable-Press Cotton Fabrics. A Microscopical View (*Rollins, Hensarling, Carra*) 903
Delaney, M. J. A Method for the Determination of Alkyl Phenyl Polyoxyethylene Surfactants in Presence of Anionic Dyes (*Datyner*)—L . . . 665
Dodge, R. N. Response to Letter by Whitney (*Clark*)—L . . . 387
Donaldson, D. J. The Reaction of THPOH with Secondary Amines (*Daigle, Reeves*)—L . . . 580
Dow, Norris F. Preliminary Investigations of Feasibility of Weaving Triaxial Fabrics (Doweave) (*Tranfield*) . . . 985
Drake, George, L., Jr. Some Chemical and Physical Factors Influencing Flame Retardancy (*Reeves, Perkins, Piccolo*) 223
Dumbleton, J. H. Spin Orientation Measurements in Polyethyleneterephthalate . . . 1035
Dyba, Raymond V. Dynamic Measurements of the Wetting of Single Filaments (*Miller*) . . . 884

Edberg, Bengt An Investigation of the Stress-Strain Curve of Nylon Parachute Cloth—L . . . 674
Egerton, G. S. Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part I: Evaluation of Wear on Latch Knitting Needles (*Fisher*) . . . 780
Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part III: Mechanism of Wear on Knitting Needles (*Fisher*) . . . 788
Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part II: Wear Produced on Knitting Needles by Different Fibers and the Effect of Titanium Dioxide (*Fisher*) . . . 784
Egle, Clifton, J., Jr. Interrelations of Structural and Physical Properties of Untreated Cottons (*Grant*) . . . 158
Egle, Cliton J. Structure and Properties of Cotton Fibers from Controlled Growth Environments (*Grant, Mitcham, Powell*) 740
El-Behery, N. M. Mass and Strength Variations in Yarns (*Mansour*) . . . 896
Ellzey, S. E., Jr. A Novel Polyfluorourea Finish for Cotton (*Connick*) . . . 185
El-Kafle, M. H. Action of Sodium Chloride on Cellulose and Cellulose Derivatives (*Kantouch, Hebeish*) . . . 178
El-Shiekh, Aly Response to Letter by Olofsson (*Hersh*)—L . . . 1137
Ewald, Philip R. Humidity-Twist Effects on Cotton Yarn Strength (*Hutchens*)—L . . . 292
Eyer, Charles S. Evidence Relating the Elastomeric Behavior of a Polymer to its Ability to Improve Cotton-Fabric Wrinkle Recovery (*Rawls, Klein*)—L . . . 199

Fairheller, Stephen H. Amino Acid Composition of Glutaraldehyde-Stabilized Wool (*Happich, Taylor*)—L . . . 768
Featherston, Dean Determination of Dimethyloldihydroxyethyleneurea (DMDHEU) Content of Glyoxal-Based Resins by Periodic-Acid Oxidation—L . . . 582
Felder, M. Susan A Thermochemical Investigation of Cotton Flame Retardance (*Smith, Rawls, Klein*) . . . 211
Feldtman, H. D. An Examination of the Insect Resistance of Bisulfite-Set Wool After Treatment With Cross-Linking Reagents (*Hoskinson, Jones*)—L . . . 947
Fell, K. T. Temperature and Moisture Regain Changes of Textiles During Vacuum-Steaming (*Postle*) . . . 683
Ferrante, Gerald R. A New Catalyst System for Cross-Linking Cotton with Formaldehyde (*Kravetz*) . . . 362
Feughelman, M. A Possible Folded β-Keratin Structure—L . . . 1125
Fiori, L. A. The Effect of Drawing-Frame Variables on Cotton Fiber Hooks and Parallelization and Processing Performance (*Simpson, Sands*) . . . 42
Fisher, K. M. Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part I: Evaluation of Wear on Latch Knitting Needles (*Egerton*) . . . 780
Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part III: Mechanism of Wear on Knitting Needles (*Egerton*) . . . 788
Use of the Scanning Electron Microscope in a Study of the Abrasive Properties of Textile Yarns. Part II: Wear produced on Knitting Needles by Different Fibers and the Effect of Titanium Dioxide Content (*Egerton*) . . . 784
Fong, W. Felting Behavior of Untreated Plain-Knit All-Wool Fabrics (*Knapton, Slinger*)—L . . . 571
The Dimensional Properties of Knitted Wool Fabrics. Part IV: 1 × 1 Rib and Half-Cardigan Structures in Machine-Washing (*Knapton*) . . . 1095
The Dimensional Properties of Knitted Wool Fabrics. Part III: The Plain-Knit Structure in Machine-Washing and Tumble-Drying (*Knapton, Richards*) . . . 543
Fonseca, George F. Effect of Flexibility of Fabric Systems on Closure Effectiveness in Wind—L . . . 482
Heat-Transfer Properties in Ten Underwear-Outerwear Ensembles 553
Foulds, R. A. Felting Shrinkage of Plain-Knitted Wool Fabrics. Its Dependence on Fabric Structure and Wash Action for a Dry Chlorination Treatment (*Baird*) . . . 628
Frick, J. G., Jr. Wrinkle-Resistant Cotton Fabric from Methylol Amide Substitution and Polymer Treatment (*Gautreaux, Reid*)—L . . . 290
Friedman, Mendel Cystine Content of Wool (*Noma*) . . . 1073
Flame-Resistant Wool (*Tillin*)—L . . . 1045

Gagarine, Dmitry M. New Process for the Cyanoethylation of Cotton Fabrics (*Compton, Martin*) . . . 813
Gallagher, Dudley M. Graft Polymerization of Vinyl and Acrylic Monomers in Phosphorylated Cotton Fabric . . . 621
Gandhi, R. S. Distribution of Sodium and Chloride Ions Between Modified Wools and Salt Solutions in the Neutral Region of pH (*Shah*) . . . 508
Estimation of Thiol and Disulfide Groups in Insoluble Proteins (*Shah*)—L . . . 857
Some Properties of Viscose Rayon Fabrics Treated with Tetrakishydroxyl Phosphonium Chloride (THPC) Resins . . . 437
Gautreaux, Gloria Wrinkle-Resistant Cotton Fabric from Methylol Amide Substitution and Polymer Treatment (*Frick, Reid*)—L . . . 290
George, McLean Recovery and Strength of Chemically Modified Single Cotton Fibers (*Weiss, Grant*) . . . 583
The Development of Tension Due to the Swelling of Cotton Yarns in Base-Salt-Water Systems (*Wade*)—L . . . 1042
Giardina, R. The Effect of Convolutions on Orientation Measurements in Cotton Fibers (*Hebert, Mitcham, Rollins*) . . . 126
Gilbert, R. D. PMR Spectra of Methyl-α-D-Glucopyranoside Derivatives (*Moreland, Kammereck*)—L . . . 193
Gilbert, S. M. A Degradation Study of Some Formaldehyde-Modified Celluloses (*Smith*) . . . 720
Gillespie, J. M. The Swelling of Keratins in Formic Acid—L . . . 853
Godfrey, Leonard E. A. Differential Thermal Analysis (DTA) and Thermogravimetric Analysis (TGA) Studies of Flame-Retardant Rayon Fibers . . . 116
Goldman, R. F. Effect of Laundering and Starching on Insulation and Vapor Permeability of Standard Fatigues (*Levell, Breckenridge*) . . . 281
Gonzales, Elwood J. Mixed Catalyst System for Reactions of Cotton with Dimethylolethyleneurea or Dimethyloldihydroxyethyleneurea (*Berni, Benerito*) . . . 377
Goswami, Bhuvenesh C. Influence of Fiber Geometry on the Mechanical Properties of Assemblies During Processing (*Scardino, Lyons*) . . . 932
Migration of Fibers in Yarns. Part VIII: Experimental Study on a 3-Layer Structure of 19 Filaments (*Hearle*) . . . 598
Goynes, Wilton R. Microscopical Studies of Cottons Reacted in Vapor Phase (*Cannizzaro, Rollins, Keating*) . . . 1087
Grady, L. P. Simulation of Needle-Fabric Interactions in Sewing Operations (*Khan, Hersh*) . . . 489
Grant, James N. Interrelations of Structural and Physical Properties of Untreated Cottons (*Egle*) . . . 158
Recovery and Strength of Chemically Modified Single Cotton Fibers (*Weiss, George*) . . . 583
Structure and Properties of Cotton Fibers from Controlled Growth Environments (*Egle, Mitcham, Powell*) . . . 740
Grindstaff, T. H. Studies in Soiling and Detergency, Part IV: Deposition and Transfer Experiments With Fatty Soils (*Patterson, Billica*) . . . 35
Guenther, K. R. The Importance of Resin Migration in Obtaining Improved 100% Cotton Permanent-Press Fabrics (*Maloney, Knoepfler*)—L . . . 483

Gupta, Bhupender S. Fiber Migration in Staple Yarns. Part II: The Geometric Mechanism of Fiber Migration and the Influence of the Roving and Drafting Variables 15
Guthrie, John D. Determination of the Accessibility of Cellulose by Use of $D_2{}^{18}O$ and Mass Spectroscopy (*Heinzelman*)—L 1133

Hader, R. J. Measurement of Fiber Mixing in Yarns (*Bogdan, Alford*) 415
Halboth, H. The Fibrillar Swelling of α-Keratin (*Heidemann*)—L 861
Hall, David M. A Scanning Electron-Microscope Study of Starches. Part II: Cereal Starches (*Sayre*) 256
Internal Architecture of Potato and Canna Starch. Part I: Crushing Studies (*Sayre*) 147
Hallam, Patricia Reversal Points—Strong Points in Cotton (*Warwicker, Simmens*)—L 1051
Haly, A. R. Scanning Electron Microscopy of the Cortex and Cuticle of Wool and Hair Fibers (*Snaith, Anderson*)—L . 1126
The Heat of the Phse Transformation in Wool Keratin Under Various Conditions (*Snaith*) 142
Transverse Striations in Extended Wool Fibers 965
Handu, J. L. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part III: A Study of Work Uniforms in Service (*Sarma, Ranganathan, Verma*) . 1017
Happich, William F. Amino Acid Composition of Glutaraldehyde-Stabilized Wool (*Taylor, Feairheller*)—L 768
Harless, H. R. A Degradation-Profile Comparison Technique for Mass Spectrometric Analysis of Water-Soluble Cellulose Ethers (*Anderson*) 448
Hayahara, T. Dimensional Changes of Acrylonitrile Copolymer During Coagulation (*Takao, Kishimoto*) 93
Hearle, J. W. S. Migration of Fibers in Yarns. Part VIII: Experimental Study on a 3-Layer Structure of 19 Filaments (*Goswami*) 598
Hebberling, F. Design of Winding-Speed Programs for Cylindrical and Tapered-End Textile Package 48
Hebeish, A. Action of Sodium Chlorite on Cellulose and Cellulose Derivatives (*Kantouch, El-Rafie*) 178
Hebert, J. J. The Effect of Convolutions on Orientation Measurements in Cotton Fibers (*Giardina, Mitcham, Rollins*) . 126
Heidemann, G. The Fibrillar Swelling of α-Keratin (*Halboth*)—L 861
Heinzelman, Dorothy C. Determination of the Accessibility of Cellulose by the Use of $D_2{}^{18}O$ and Mass Spectroscopy (Guthrie)—L 1133
Hensarling, T. P. Abrasion Phenomena in Durable-Press Cotton Fabrics. A Microscopical View (*Rollins, deGruy, Carra*) . 903
Hepworth, Barbara The Plain-Knitted Structure (*K. Hepworth, Leaf*)—L 863
Hepworth, K. The Plain-Knitted Structure (*B. Hepworth, Leaf*)—L 863
Hermans, J. J. The Effect of Dry Friction on the Oscillatory Behavior of Fabrics (*Chow*) 982
Hersh, S. P. Moisture Characteristics of Some Knit Fabrics Made From Blend Yarns (*Knight, Brown*) 843
Response to Letter by Olofsson (*El-Shiekh*)—L 1137
Simulation of Needle-Fabric Interactions in Sewing Operations (*Khan, Grady*) 489
Hertel, K. L. Shear Friction Within Card Web Specimens (*Lawson*) 472
Hirschmann, B. The Determination of Pentachlorophenol and Pentachlorophenol Laurate (*Basch*)—L 670
Hirst, L. A Study of Ultraviolet Yellowing of Amino Acids, Peptides, and Soluble Proteins (*Asquith, Rivett*) 285
Hobart, Stanley R. Thermal Investigation of Diethylaminoethyl-Substituted Cotton Cellulose (*Berni, Mack*) 1079
Hoffman, A. S. Hydrophilic Polymer Surfaces Via Radiation-Chemical Treatment (*Berbeco*) 975
Hoskinson, R. M. An Examination of the Insect Resistance of Bisulfite-Set Wool After Treatment With Cross-Linking Reagents (*Feldtman, Jones*)—L 948
Houhiran, Mary E. Comparison of Methods for Estimating Fiber Fineness (*Terrill, Wilson*) 937
Wool Top Analysis by an Electronic Fiber Fineness Instrument (*Terrill, Neil, Mackey*) 244
Hubbell, D. O. Studies of Nonwovens. Part II: Mechanics of Lightly Bonded Fabrics (*Whitwell*) 521
Hutchens, Herbert Humidity-Twist Effects on Cotton Yarn Strength (*Ewald*)—L 292

Imamura, Tetsuya Studies of Detergency, Part II: Contribution of Influencing Factors—Analysis of Variance (*Komeda, Mino, Tokiwa*) 733
Ingram, P. Morphology of Secondary Wall Fibrils in Cotton (*Peterlin*) 345
The Spiral Angle of Cotton (*Morosoff*) 250
Isings, J. Some Effects of Caustic Soda Treatment on the Gross Structure of Cotton Fibers in Yarns (*Burgh*)—L 766
Iyengar, R. L. N. A Study on Wax Content and its Relation to Moisture Regain and Tensile Strength of Cotton Fiber (*Pandey*) 1053
Transformed Center of Gravity—A New Concept of Interpreting the Fiber-Length Distribution Properties of Cotton—L . 1132
Iyer, S. R. Sivaraja Measurement of the Internal Surface Area of Viscose Fibers by Negative Adsorption of Chloride Ions (*Nemade, Jayaram*)—L 1050

Jain, C. L. Studies of Formaldehyde-Crosslinked Cellulose. Significance of Swelling at the Time of Cross-Linking (*Singh, Pande, Chipalkatti, Parikh*) 940
Jamison, S. E. Fibers From Polyvinylcyclohexane and px Polyvinylcyclopentane—L 955
Janoušek, Jaroslav Quantitative Determination of Disperse Dyes on Synthetic Fibers—L 192
Jayaram, R. Measurement of Internal Surface Area of Viscose Fibers by Negative Adsorption of Chloride Ions (*Nemade, Iyer*)—L 1050
Jeffries, R. Response to Letter by Manjunath and Venkataraman (*Warwicker*)—L 770
Johari, D. P. Electron-Micrograph Studies of the Physical State of Reactive Dyes in Cellulose and Disperse Dyes in Cellulose Triacetate Films—L 575
Preparation of Ultrathin Films Electron Microscopy—L . . . 293
Johnson, L. D. The Relationship of Directional Reflectance Properties to Acrylic Pile Fabric and Fiber Characteristics 650
Jones, F. W. An Examination of the Insect Resistance of Bisulfite-Set Wool After Treatment With Cross-Linking Reagents (*Feldtman, Hoskinson*)—L 948
Joshi, V. S. Box Distribution Versus Eyring's Three-Element Model (*Kothari*)—L 764
Short-Term Stress Relaxation in Swollen and Stretched Cotton Fibers (*Radhakrishnan*)—L 1121
Jung, Hilda Z. Changes in Fine Structures of Cottons Modified by Butadieneepoxide Catalyzed by Zinc Fluoborate—L . . . 1043

Kammereck, R. PMR Spectra of Methyl-α-D-Glucopyranoside Derivatives (*Gilbert, Moreland*)—L 193
Kantouch, A. Action of Sodium Chlorite on Cellulose and Cellulose Derivatives (*Hebeish, El-Rafie*) 178
Kassenbeck, P. Bilateral Structure of Cotton as Revealed by Enzymatic Degradation 330
Katz, H. J. Stereoscan Microscopy of Chlorine/Resin-Treated Wool (*Anderson, Lipson, Wood*) 29
Keating, Esmond J. Microscopical Studies of Cottons Reacted in Vapor Phase (*Cannizzaro, Goynes, Rollins*) 1087
Kelly, C. H. Amino Acid Composition of Human Hair (*Robbins*) 891
Kende, P. Measurement of Three-Dimensional Fiber Crimp (*Brand*) 169
Khan, R. A. Simulation of Needle-Fabric Interactions in Sewing Operations (*Hersh, Grady*) 489
Kilpatrick, D. J. A Solubility Test for Wool and its Application in Studies on Chemically Modified Wools (*Maclaren*) . . . 25
Sulfation of Wool as a Shrink-Resist Process (*Maclaren*) . . . 880
King, N. E. Preliminary Results on the Elastic Moduli of Wool Mohair, and Kemp Fibers by Ultrasonic Pulse Techniques (*Kruger*) 865
Kishimoto, S. Dimensional Changes of Acrylonitrile Copolymer During Coagulation (*Hayahara, Takao*) 93
Klein, Elias A Thermochemical Investigation of Cotton Flame Retardance (*Smith, Rawls, Felder*) 211
Evidence Relating the Elastomeric Behavior of a Polymer to its Ability to Improve Cotton-Fabric Wrinkle Recovery (*Rawls, Eyer*)—L 199
Klinger, T. Thermal Degradation of Wool (*Michlik, Setnička, Krkoška, Blažej*)—L 484
Knapton, J. J. F. Felting Behavior of Untreated Plain-Knit All-Wool Fabrics (*Fong, Slinger*)—L 571
The Dimensional Properties of Knitted Wool Fabrics. Part IV: 1 × 1 Rib and Half-Cardigan Structures in Machine-Washing and Tumble-Drying (*Fong*) 1095
The Dimensional Properties of Knitted Wool Fabrics. Part III: The Plain-Knit Structure in Machine-Washing and Tumble-Drying (*Richards, Fong*) 543
Knight, B. A. Moisture Characteristics of Some Knit Fabrics Made from Blend Yarns (*Hersh, Brown*) 843
Knoepfler, N. B. The Importance of Resin Migration in Obtaining Improved 100% Cotton Permanent-Press Fabrics (*Guenther, Maloney*)—L 483
Komeda, Yoshiaki Studies of Detergency. Part II: Contribution of Influencing Factors—Analysis of Variance (*Mino, Imamura, Tokiwa*) 733
Kothari, N. R. Box Distribution Versus Eyring's Three-Element Model (*Joshi*)—L 764
Kravetz, Louis A New Catalyst System for Cross-Linking Cotton Cellulose with Formaldehyde (*Ferrante*) 362
Krichevskii, G. E. Use of Methods of Heterogeneous Chemical Kinetics and Nonequilibrium Thermodynamics for the Quantitative Evaluation of the Rate of Fixation of Reactive Dyes by Fibrous Materials (*Movshovich*) 793
Krkoška, P. Thermal Degradation of Wool (*Michlik, Klinger, Setnička, Blažej*)—L 484
Kruger, P. J. Preliminary Results on the Elastic Moduli of Wool, Mohair, and Kemp Fibers by Ultrasonic Techniques (*King*) 865
Kullman, Russell M. H. Principles of Reactivity of Nitrogenous Agents with Cotton (*Vail, Reeves, Barker*) 355
Kuroda, Haruki Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Ohe, Takagishi, Terrai, Matsuki, Matsukawa*) 591

Labhard, Lezlie A. The Removal of A Synthetic Sebum from Durable-Press Fabrics (*Morris*) 445
Landwehr, R. C. A Corona-Discharge Method of Producing Shrink-Resistant Wool and Mohair. Part III: A Pilot-Scale Top Treatment Reactor (*Thorsen*) 688
Laughlin, Kenneth C. Carpet Testing: Tetrapod vs. Floor Trial (*Lynch*)—L 478
Lawson, R. Shear Friction Within Card Web Specimens (*Hertel*) 472
Leaf, G. A. V. The Plain-Knitted Structure (*B. Hepworth, K. Hepworth*)—L 863
Levell, C. A. Effect of Laundering and Starching on Insulation and Vapor Permeability of Standard Fatigues (*Breckenridge, Goldman*) 281
Liggett, R. W. Salt-Bath Process for the Chemical Finishing of Cotton (*Tanquary*) 232

Limb, Yum The Thermodynamics of Sorption of Three Direct-Dye Mixtures on Cellulose (*Porter, Perkins*) 704
Lipson, M. Scanning Electron Microscopy of Fiber Cross Sections (*Anderson*)—L 88
Stereoscan Microscopy of Chlorine/Resin-Treated Wool (*Anderson, Katz, Wood*) 29
Liu, W. Vapor-Phase Deposition of Surface Polymers and Cross-Linking on Cotton Fabrics (*Brenner, Rugg*) 318
Loeb, L. Technique for Comparative Frictional Measurements on Wet Fabrics (*Schuck*)—L 957
Lynch, Salena (Mrs.) Carpet Testing: Tetrapod Walker vs. Floor Trial (*Laughlin*)—L 478
Lyons, W. James Fatigue in Textile Fibers. Part XII: Fatiguing by Cyclic Tension at Constant Force-Amplitude . 836
Fatigue in Textile Fibers. Part XIII: Fatiguing by Cyclic Tension; Comparison of Lifetimes Obtained by Two Methods of Loading—L 855
Fatigue in Textile Fibers. Part XI: Fatiguing by Cyclic Tension: Effects of Temperature, Stroke, and Frequency of Lifetimes 60
Influence of Fiber Geometry on the Mechanical Properties of Assemblies During Processing (*Scardino, Goswami*) 932
Influence of Fiber Geometry on the Mechanical Properties of Assemblies During Processing. Part I: Polyester Fibers in Webs and Slivers (*Scardino*) 559
Preferential Radial Migration of Fibers in the Processing of Blends (*Scardino*)—L 573

Mack, Charles H. Thermal Investigations of Diethylaminoethyl-Substituted Cotton Cellulose (*Hobart, Berni*) 1079
Mackey, Bruce E. Wool Top Analysis by an Electronic Fiber Fineness Instrument (*Hourihan, Terrill, Neil*) 244
Maclaren, J. A. A Solubility Test for Wool and its Application in Studies on Chemically Modified Wools (*Kilpatrick*) . . 25
Sulfation of Wool as a Shrink-Resist Process (*Kilpatrick*) . . 880
Maiti, R. K. A Comparative Microscope Study of Fiber Structure of Some "White" Jute Varieties (*Corchorus capsularis*) in Relation to Quality Breeding—L 1123
Maloney, M. J. The Importance of Resin Migration in Obtaining Improved 100% Cotton Durable-Press Fabrics (*Guenther, Knopfler*)—L 483
Mani, K. V. S. Reactive Dyes for Wool. Part I: α-Bromanthraquinone Derivatives and Quinizarin-2-sulfonic Acid (*Seshadri*) 1106
Reactive Dyes for Wool. Part II: o-Bromo-o'-Hydroxyazo Dyes (*Seshadri*) 1111
Manjunath, B. R. The Disposition of the Glucosidic Rings in Cellulose Sheets (*Venkataraman*)—L 769
Mansour, S. A. Mass and Strength Variations in Yarns (*El-Behery*) 896
Marsh, Paul B. An Illustration of the Use of Certain Tests in Diagnosing Damage in Raw Cotton Fibers (*Simpson*)—L . . 852
Martin, L. F. Gel-Permeation Properties of Cellulose. Part IV: Changes in Pore Structure of Fibrous Cotton Produced by Cross-Linking with Formaldehyde (*Blouin, Rowland*) . . . 959
Gel-Permeation Properties of Cellulose. II: Comparison of Structures of Decrystallized Cotton Cross-Linked With Formaldehyde by Various Processes (*Bertoniere, Blouin, Brannan, Rowland*) 8
Gel-Permeation Properties of Cellulose. Part III: Measurement of Pore Structure of Unmodified and Mercerized Cottons in Fibrous Form (*Blouin, Rowland*) 809
Martin, William H. New Process for the Cyanoethylation of Cotton Fabrics (*Compton, Gagarine*) 813
Matsukawa, Saburo Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Ohe, Takagishi, Kuroda, Terrai, Matsuki*) 591
Matsuki, Shintaro Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Ohe, Takagishi, Kuroda, Terrai, Matsukawa*) 591
McKee, A. N. Preliminary Studies of the Fractography of Fibers and Other Polymeric Materials in the Scanning Electron Microscope (*Beattie*) 1006
Mehta, I. H. The Effect of Varying Interfiber Friction on Hook Removal During Drawing (*Nanal*)—L 1131
Mehta, P. N. The Separation of Relaxation and Felting Shrinkage (*Brown*)—L 480
Meiser, Charles, H., Jr. Some Effects of Chemical Composition on the Flammability Behavior of Textiles (*Tesoro*) 430
Michlik, I. Thermal Degradation of Wool (*Klinger, Setnicka, Krkoška, Blažej*)—L 484
Milicevic, B. Response to Letter by Supenaker—L 1130
Miller, Bernard Dynamic Measurements of the Wetting of Single Filaments (*Dyba*) 884
Milligan, Brian Studies in Wool Yellowing. Part XXVIII: Inhibition of Sunlight Yellowing by Treatment With Methyl Isothiocyanate (*Caldwell*)—L 194
Mino, Junryo Studies of Detergency. Part II: Contribution of Influencing Factors—Analysis of Variance (*Komeda, Imamura, Tokiwa*) 733
Mitcham, Donald Structure and Properties of Cotton Fibers from Controlled Growth Environments (*Grant, Egle, Powell*) . . 740
The Effect of Convolutions on Orientation Measurements in Cotton Fibers (*Herbert, Giardina, Rollins*) 126
Mitchell, T. W. Cohesive Set in the Crimp Region of Merino Wool Fibers (*Rigby*)—L 949
Moreland, C. G. PMR Spectra of Methyl-α-D-Glucopyranoside Derivatives (*Gilbert, Kammereck*)—L 193
Morosoff, N. The Spiral Angle of Cotton (*Ingram*) 250
Morris, Mary Ann Laundering Cotton Fabric. Part II: Effect of Detergent Type and Water Temperature on Appearance, Hand, Strength, and Cost 644
The Removal of a Synthetic Sebum from Durable-Press Fabrics (*Labhard*) 445
Morris, R. Evidence for Methylene-Dithiol Cross Links in Formaldehyde-Treated Keratin (*Watt*)—L 952
Mottram, F. J. The Nature of the Variability in Keratin Fibers as Revealed by Creep Measurements (*Coad*)—L 1134
Movshovich, I. M. Use of Methods of Heterogeneous Chemical Kinetics and Nonequilibrium Thermodynamics for the Quantitative Evaluation of the Rate of Fixation of Reactive Dyes by Fibrous Materials (*Krichevskii*) 793
Mueller, W. A. Phosphonate Finishes for Fire-Retardant, Durable-Press Cotton (*Sanderson, Swidler*) 217

Nachtigal, Julius Intermediate Oxidation of Cystine in Oxidized Hair (*Robbins*) 454
Nair, G. P. Sodium Borohydride in Vat Dyeing (*Shah*) 303
Nanal, S. Y. The Effect of Varying Interfiber Friction on Hook Removal During Drawing (*Mehta*)—L 1131
Needles, H. L. Graft Photopolymerization onto Fibers Sensitized by Disodium Anthraquinone-2,6-disulfonic Acid—L 860
Grafting of Proteins onto Wool Using Diepoxides as Cross-Linking Agents 771
Nonwoven Wool Bonded by Aziridine-Capped Polurethanes (*Wasley*)—L 669
The Effect of Polymerization Accelerators on Graft Polymerization of Acrylamide onto Wool Fibers—L 579
Neil, Hugh G. Wool Top Analysis by an Electronic Fiber Fineness Instrument (*Hourihan, Terrill, Mackey*) 244
Nelson, Mary L. The Iodine Sorption Test. Factors Affecting Reproducibility and a Semimicro Adaptation (*Rousselle, Cangemi, Trouard*) 872
Nemade, B. I. Measurement of the Internal Surface Area of Viscose Fibers by Negative Adsorption of Chloride Ions (*Iyer, Jayaram*)—L 1050
Noma, Amy T. Cystine Content of Wool (*Friedman*) 1073

Ohe, Hideo Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Takagishi, Kuroda, Terrai, Matsuki, Matsukawa*) 591
Olofsson, B. A Critical Study of the Mechanics of Looped-Pile Carpets—L 1135

Pande, A. Studies of Formaldehyde-Crosslinked Cellulose. Significance of Swelling at the Time of Cross-Linking (*Singh, Jain, Chipalkatti, Parikh*) 940
Pandey, S. N. A Study on Wax Content and its Relation to Moisture Regain and Tensile Strength of Cotton Fiber (*Iyengar*) 1053
Parikh, R. S. Studies of Formaldehyde-Crosslinked Cellulose. Significance of Swelling at the Time of Cross-Linking (*Singh, Jain, Pande, Chipalkatti*) 940
Park, Chunghi H. Dyeing of Resin-Treated Wool (*Temin*) . . 451
Patel, Dhirajlal C. Breathable, Permanent Water-Repellent Treatment of Cotton (*Deanin*) 970
Patil, N. B. X-Ray Studies on the Orientation of Microfibrils in the Primary Wall of Cotton Fibers—L 667
Patterson, H. T. Studies in Soiling and Detergency. Part IV: Deposition and Transfer Experiments With Fatty Soils (*Grindstaff, Billica*) 35
Patureau, Myles A. A Method and Instrument for Measuring Fiber Hooks and Parallelization (*Simpson*)—L 956
Perkins, Rita M. Some Chemical and Physical Factors Influencing Flame Retardancy (*Reeves, Piccolo, Drake*) 223
Perkins, Warren S. A Study of the Thermodynamics of Sorption of Three Direct Dyes on Cellophane Film (*Porter*) . . 81
The Thermodynamics of Sorption of Three Direct-Dye Mixtures on Cellulose (*Porter, Limb*) 704
Peterlin, A. Morphology of Secondary Wall Fibrils in Cotton (*Ingram*) 345
Petersen, Harro Recent Developments in the Chemistry of Cross-Linking Agents 335
Piccolo, Biagio Some Chemical and Physical Factors Influencing Flame Retardancy (*Reeves, Perkins, Drake*) 223
Pohle, Raimund The Microfibril as the Original Form of Organization of Native Cellulose (*Ruck*)—L 1048
Porter, John J. A Study of the Thermodynamics of Sorption of Three Direct Dyes on Cellophane Film (*Perkins*) . . . 81
The Thermodynamics of Sorption of Three Direct-Dye Mixtures on Cellulose (*Perkins, Limb*) 704
Postle, R. A Theoretical Analysis of the Plain-Knitted Structure (*Shanahan*) 656
Measurement of Torsion of Monofilament Textile Structure (*Szomanski*)—L 762
Temperature and Moisture Regain Changes of Textiles During Vacuum-Steaming (*Fell*) 683
Potnis, S. M. Structural Changes on Irradiation Grafting and Subsequent Hydrolysis of Some Synthetic Fibers as Revealed by Infrared Spectroscopic Technique (*Shetty, Prakash*)—L 389
Powell, Robert D. Structure and Properties of Cotton Fibers from Controlled Growth Environments (*Grant, Egle, Mitcham*) 740
Prakash, Jai Structural Changes on Irradiation Grafting and Subsequent Hydrolysis of Some Synthetic Fibers as Revealed by Infrared Spectroscopic Technique (*Potnis, Shetty*)—L 389
Prince, H. M. Contact Ngles from Capillary Rise Between Filaments in a V-Configuration 1069
Purchase, Mary E. A Double-Label Radioactive Tracer Analysis of the Retention of Selected Fats on Cotton and its Relation to Yellowing (*Sontag, Smith*) 529
Puri, A. K. The Formation of Mixed Disulfides by the Action of Thioglycollic Acid on Wool—Cystine and its Relationship to Wool Setting (*Asquith*) 273

Quynn, Richard G. Fibers from Polyoxymethylene Terephthalamide. Part I: Fine Structure 677

Radhakrishnan, T. Short-Term Stresses Relaxation in Swollen and Stretched Cotton Fibers (*Joshi*)—**L** 1121
Ranganathan, S. R. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part III: A Study of Work Uniforms in Service (*Sarma, Handu, Verma*) . . . 1017
Rawls, H. Ralph A Thermochemical Investigation of Cotton Flame Retardance (*Smith, Felder, Klein*) 211
Evidence Relating the Elastomeric Behavior of a Polymer to its Ability to Improve Cotton-Fabric Wrinkle Recovery (*Klein, Eyer*)—**L** 199
Rebenfeld, L. Formation and Characterization of Potassium Cellulosates (*Bredreck, Weigmann*) 820
Reeves, Wilson A. Principles of Reactivity of Nitrogenous Agents with Cotton (*Vail, Kullman, Barker*) 355
Some Chemical and Physical Factors Influencing Flame Retardency (*Perkins, Piccolo, Drake*) 223
The Reaction of THPOH with Secondary Amines (*Daigle, Donaldson*)—**L** 580
Reid, J. David Wrinkle-Resistant Cotton Fabric from Methylol Amide Substitution and Polymer Treatment (*Frick, Gautreaux*—**L** 290
Reine, Alden H. Photochemistry of Cotton Cellulose. The Direct Action of Near-Ultraviolet Light on Purified Fibrous Cotton Cellulose (*Arthur*)—**L** 90
Richards, S. The Dimensional Properties of Knitted Wool Fabrics. Part III: The Plain-Knit Structure in Machine-Washing and Tumble-Drying (*Knapton, Fong*) 543
Rigby, B. J. Cohesive Set in the Crimp Region of Merino Wool Fibers (*Mitchell*)—**L** 949
Rivett, D. E. A Study of Ultraviolet Yellowing of Amino Acids, Peptides, and Soluble Proteins (*Asquith, Hirst*) . . . 285
Robbins, C. R. Amino Acid Composition of Human Hair (*Kelly*) 891
Robbins, Clarence Effect of pH on the Arrhenius Activation Energy for Diffusion into Keratin Fibers (*Scott*)—**L** . . . 951
Intermediate Oxidation Products of Cystine in Oxidized Hair (*Nachtigal*) 454
Roberts, E. J. An Exploratory Characterization of Cotton Cellulose Modified with Tris (2-chloroethyl)phosphoramide (*Brannan, Rowland*) 699
Extent of Formation of Ether Linkages Between Tris(1-aiziridinyl)phosphine oxide and Cotton Cellulose (*Rowland*) . . . 401
Nature and Proportion of Cross Links in a Chemically Modified Cotton Cellulose (*Brannan, Rowland*) 237
Network Formation in Cotton Cellulose Modified with Tris-(1-aziridinyl)phosphine Oxide (*Rowland, Stark*) 405
Structure of Reagent Residues in Cotton Cellulose Modified with Tris(1-aziridinyl)phosphine Oxide (*Wade, Rowland*) 395
Rollins, M. L. Abrasion Phenomena in Durable-Press Cotton Fabrics. A Microscopical View (*deGruy, Hensarling, Carra*) . 903
Rollins, Mary L. Electron-Microscope Study of Cotton Treated with Inter- and Intracrystalline Swelling Agents (*Betrabet*) 917
Location and Distribution of N-Methylol Acrylamide in the Radiation-Induced Delayed-Cure Process (*Broughton, Walsh*)—**L** 672
Microscopical Studies of Cottons Reacted in the Vapor Phase (*Cannizzaro, Goynes, Keating*) 1087
The Effect of Convolutions on Orientation Measurements in Cotton Fibers (*Hebert, Giardina, Mitcham*) 126
Rousselle, Marie-Alice The Iodine Sorption Test. Factors Affecting Reproducibility and a Semimicro Adaptation (*Nelson, Cangemi, Trouard*) 872
Rowland, Stanley P. An Exploratory Characterization of Cotton Cellulose Modified with Tris(2-chloroethyl)phosphoramide (*Roberts, Brannan*) 699
Evidence Regarding Activations and Accessibilities of Cellulosic Hydroxyl Groups (*Bullock, Cirino*) 313
Extent of Formation of Ether linkages Between Tris(1-aiziridinyl)phosphine Oxide and Cotton Cellulose (*Roberts*) . . 401
Gel-Permeation Properties of Cellulose. Part IV: Changes in Pore Structure of Fibrous Cotton Produced by Cross-Linking with Formaldehyde (*Blouin, Martin*) 959
Gel-Permeation Properties of Cellulose. II: Comparison of Structures of Decrystallized Cotton Cross-Linked With Formaldehyde by Various Processes (*Martin, Bertoniere, Blouin, Brannan*) 8
Gel-Permeation Properties of Cellulose. Part III: Measurement of Pore Structure of Unmodified and Mercerized Cottons in Fibrous Form (*Blouin, Martin*) 809
Introduction and Removal of Durable Creases in Wrinkle-Resistant Cotton Fabric (*Brannan*) 607
Nature and Proportion of Cross Links in a Chemically Modified Cotton Cellulose (*Roberts, Brannan*) 237
Network Formation in Cotton Cellulose Modified with Tris-(1-aziridinyl)phosphine Oxide (*Roberts, Stark*) 405
Structure of Reagent Residues in Cotton Cellulose Modified with Tris(1-aziridinyl)phosphine Oxide (*Roberts, Wade*) 395
Variations in a Delayed-Curing Cotton Via Internal Catalysis of Reaction With Divinyl Sulfone (*Brannan*) 101
Ruck, Heinz T. K. The Microfibril as the Original Form of Organization of Native Cellulose (*Pohle*)—**L** 1048
Rugg, B. Vapor-Phase Deposition of Surface Polymers and Cross-Linking on Cotton Fabrics (*Brenner, Liu*) 318

Samson, A. A Ballistic Determination of the Toughness of Wool Staples (*White*) 803
An Improved Method for the Rapid Determination of the Residual Grease on Scoured Wool 712
Sanderson, W. A. Phosphonate Finishes for Fire-Retardant, Durable-Press Cotton (*Mueller, Swidler*) 217
Sands, J. E. The Effect of Drawing-Frame Variables on Cotton Fibers Hooks and Parallelization and Processing Performance (*Simpson, Fiori*) 42
Sarma, G. V. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part III: A Study of Work Uniforms in Service (*Ranganathan, Handu, Verma*) . 1017
Sattur, N. B. Synthesis of Methylol Fatty Alkyl Carbamates and Their Applications to Cotton (*Bajaj, Chipalkatti*) 370
Sayre, Joseph G. A Scanning Electron-Microscope Study of Starches. Part II: Cereal Starches (*Hall*) 256
Internal Architecture of Potato and Canna Starch. Part I: Crushing Studies (*Hall*) 147
Scardino, Francis L. Influence of Fiber Geometry on the Mechanical Properties of Assemblies During Processing. Part I: Polyester Fibers in Webs and Slivers (*Lyons*) 559
Influence of Fiber Geometry on the Mechanical Properties of Assemblies During Processing. Part II: Polyester-Rayon Blends (*Goswami, Lyons*) 932
Preferential Radial Migration of Fibers in the Processing of Blends (*Lyons*)—**L** 573
Schott, Hans Adhesion and Autohesion in the System Clay-Cellulose 924
Schuck, R. O. Technique for Comparative Frictional Measurements on Wet Fabrics (*Loeb*)—**L** 957
Scott, George V. Effect of pH on the Arrhenius Activation Energy for Diffusion into Keratin Fibers (*Robbins*)—**L** . . . 951
Seshadri, S. Reactive Dyes for Wool. Part I: α-Bromanthraquinone Derivatives and Quinizarin-2-sulfonic Acid (*Mani*) . 1106
Reactive Dyes for Wool. Part II: o-Bromo-o'-Hydroxyazo Dyes (*Mani*) 1111
Setnička, A. Thermal Degradation of Wool (*Michlík, Klinger, Krkoška, Blažej*)—**L** 484
Shah, R. C. Distribution of Sodium and Chloride Ions Between Modified Wools and Salt Solutions in the Neutral Region of pH (*Gandhi*) 508
Estimation of Thiol and Disulfide Groups in Insoluble Proteins (*Gandhi*)—**L** 857
Sodium Borohydride in Vat Dyeing (*Nair*) 303
Shanahan, W. J. A Theoretical Analysis of the Plain-Knitted Structure (*Postle*) 656
Sharma, V. N. Mechanism of Dyeing Cellulose with Sodium β-Arylsulfonylethyl Sulfates (Remazols) (*Bhagwanth, Daruwalla, Venkataraman*)—**L** 392
Shetty, S. M. Structural Changes on Irradiation Grafting and Subsequent Hydrolysis of Some Synthetic Fibers as Revealed by Infrared Spectroscopic Technique (*Potnis, Prakash*)—**L** 389
Simmens, S. C. Reversal Points—Strong Points in Cotton (*Warwicker, Hallam*)—**L** 1051
Simpson, Jack A Method and Instrument for Measuring Fiber Hooks and Parallelization (*Patureau*)—**L** 956
The Effect of Drawing-Frame Variables on Cotton Fiber Hooks and Parallelization and Processing Performance (*Sands, Fiori*) 42
Simpson, Marion E. An Illustration of the Use of Certain Tests in Diagnosing Damage in Raw Cotton (*Marsh*)—**L** 852
Singh, Balkar Studies of Formaldehyde-Crosslinked Cellulose. Significance of Swelling at the Time of Cross-Linking (*Jain, Pande, Chipalkatti, Parikh*) 940
Singh, Sujan Rot Resistance of Some Furan Derivatives of Cotton Cellulose (*Arthur*)—**L** 1128
Skelton, John The Effect of Heat-Setting on the Bending Behavior of Woven Fabrics 1115
Slinger, R. I. Felting Behavior of Untreated Plain-Knit All-Wool Fabrics (*Knapton, Fong*)—**L** 571
Smith, B. F. A Degradation Study of Some Formaldehyde-Modified Celluloses (*Gilbert*) 720
Cross-Linking of Cotton with Ethylene Urea Derivatives Having Varying Hydrogen-Bonding Capabilities. Part I: Effects on the Physical Properties and the Hydrogen-Bonded Structure (*Stevens*) 749
A Double-Label Radioactive Tracer Analysis of the Retention of Selected Fats on Cotton and its Relation to Yellowing (*Sontag, Purchase*) 529
Smith, James K. A Thermochemical Investigation of Cotton Flame Retardance (*Rawls, Felder, Klein*) 211
Snaith, J. W. Scanning Electron Microscopy of the Cortex and Cuticle of Wool and Hair Fibers (*Haly, Anderson*)—**L** . . 1126
The Heat of the Phase Transformation in Wool Keratin Under Various Conditions (*Haly*) 142
Soignet, Donald M. Anion-Exchange Cottons Prepared from Sodium Cellulosate (*Berni, Benerito*) 999
Sontag, M. Suzanne A Double-Label Radioactive Tracer Analysis of the Retention of Selected Fats on Cotton and its Relation to Yellowing (*Purchase, Smith*) 529
Stark, S. M., Jr. Network Formation in Cotton Cellulose Modified with Tris(1-aziridinyl)phosphine Oxide (*Rowland, Roberts*) 405
Stevens, C. V. Cross-Linking of Cotton with Ethylene Urea Derivatives Having Varying Hydrogen-Bonding Capabilities. Part I: Effects on the Physical Properties and on the Hydrogen-Bonded Structure (*Smith*) 749
Stuart, I.M. A New Decrimping Equation 614
Supanekar, S. D. Milicevic's Treatment of Dyeing Kinetics as Stochastic Processes—**L** 1129
Swanepoel, O. A. Determination of Protein Moisture Content With an Automatic Elemental Analyzer (*van Rensburg*)—**L** 191
Machine-Washing of Wool (*Van Rooyen*) 516
Swidler, R. Phosphonate Finishes for Fire-Retardant, Durable-Press Cotton (*Sanderson, Mueller*) 217
Szomanski, Wanda M. Measurement of Torsion in Monofilament Textile Structure (*Postle*)—**L** 762

XUM

Takagishi, Kazuo Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Ohe, Kuroda, Terrai, Matsuki, Matsukawa*) . . . 591
Takao, S. Dimensional Changes of Acrylonirile Copolymer During Coagulation (*Hayahara, Kishimoto*) . . . 93
Tanquary, A. C. Salt-Bath Process for the Chemical Finishing of Cotton (*Liggett*) . . . 232
Taylor, Maryann M. Amino Acid Composition of Glutaraldehyde-Stabilized Wool (*Happich, Feairheller*)—**L** . . . 768
Temin, Samuel C. Dyeing of Resin-Treated Wool (*Park*) . . . 451
Terrari, Mamoru Behavior of Spun Rayon Fabric Treated by the Poly-Set Process (*Ohe, Takagishi, Kuroda, Matsuki, Matsukawa*) . . . 591
Terrill, Clair E. Comparison of Methods for Estimating Fiber Fineness (*Houhiran, Wilson*) . . . 936
Wool Top Analysis by an Electronic Fiber Fineness Instrument (*Hourihan, Neil, Mackey*) . . . 244
Tesoro, Giuliana C. Some Effects of Chemical Composition on the Flammability Behavior of Textiles (*Meiser*) . . . 430
Thorsen, W. J. A Corona-Discharge Method of Producing Shrink-Resistant Wool and Mohair. Part III: A Pilot-Scale Top Treatment Reactor (*Landwehr*) . . . 688
Tillin, Sandra Flame-Resistant Wool (*Friedman*)—**L** . . . 1045
Tokiwa, Fumikatsu Studies of Detergency. Part II: Contribution of Influencing Factors—Analysis of Variance (*Komeda, Mino, Imamura*) . . . 733
Tranfield, George Preliminary Investigations of Feasibility of Weaving Triaxial Fabrics (Doweave) *Dow* . . . 986
Trouard, Phyllis The Iodine Sorption Test. Factors Affecting Reproducibility and a Semimicro Adaptation (*Nelson, Rousselle, Cangemi*) . . . 872

Vail, Sidney L. Principles of Reactivity of Nitrogenous Agents with Cotton (*Kullman, Reeves, Barker*) . . . 355
van Rensburg, N. J. J. Determination of Protein Moisture Content With an Automatic Elemental Analyzer (*Swanepoel*)—**L** . . . 191
Van Rooyen, Annette Machine-Washing of Wools (*Swanepoel*) 516
Van Veld, R. D. Motion Picture Presentation of Stress—Strain Behavior Viewed in a Scanning Electron Microscope (*Bryant, Billica*)—**L** . . . 1138
Venkataraman, K. Mechanism of Dyeing Cellulose with Sodium β-Arylsulfonylethyl Sulfates (Remazols) (*Bhagwanth, Daruwalla, Sharma*)—**L** . . . 392
Venkataraman, A. The Disposition of the Glucosidic Rings in Cellulose Sheets (*Manjunath*)—**L** . . . 769
Verma, B. C. Studies in Wear Life of Normal- and Special-Finished Woven Cotton Fabrics. Part III: A Study of Work Uniforms (*Sarma, Ranganathan, Handu*) . . . 1017
Viaplana, A. Principles of a New Procedure for Measuring Yarn Hairiness. Application to the Study of Hairiness of Open-End Yarns (*Barella*) . . . 267
Vigo, Tyrone L. Fibrous Chlorodeoxycellulose Yarn. Its Preparation, Properties, and Reaction With Nucleophilic Sulfur and Nitrogen Compounds (*Welch*) . . . 109
Vullo, William J. Treatment of Cotton Fabric With Methyltrivinylphosphonium Iodide and Trivinylphosphine Oxide—**L** 197

Wade, C. P. Structure of Reagent Residues in Cotton Cellulose Modified with Tris (1-aziridinyl) phosphine Oxide (*Roberts, Rowland*) . . . 395
Wade, Ricardo H. The Development of Tension Due to the Swelling of Cotton Yarns in Base-Salt-Water Systems (*George*)—**L** . . . 1042
Walsh, W. K. Location and Distribution of N-Methylol Acrylamide in the Radiation-Induced Delayed-Cure Process (*Broughton, Rollins*)—**L** . . . 672
Walter, J. D. Centrifugal Effects in Inflated, Rotating Bias-Ply Tires . . . 1
Warburton, C. E., Jr. Creaseproofing Cotton by *in Situ* Polymerization of N-Methylol Acrylamide (NMA), (Acrylamide (AM), and Tetrakis (Hydroxymethyl) Phosphonium Chloride (THPC) . . . 68
Variance in Breaking-Strength Distribution of Yarns Raveled from Chemically Treated Cotton Fabrics. Effect of Cross-Linking, Polymer Deposition, and Rate of Extension . . . 75
Warwicker, J. O. Response to Letter by Maryunath and Ventakarawan (*Jeffries*)—**L** . . . 770
Reversal Points—Strong Points in Cotton (*Simmens, Hallam*)—**L** . . . 1051
Wasley, W. L. Nonwoven Wool Bonded by Aziridine-Capped Polyurethanes (*Needles*)—*L* . . . 669
Wasserman, T. The Determination of Phosphorus in Cellulosic Fabrics (*Basch*)—**L** . . . 674
Watt, I. C. Evidence for Methylene-Dithiol Cross Links in Formaldehyde-Treated Keratin (*Morris*)—**L** . . . 952
Weigmann, H.-D. Formation and Characterization of Potassium Cellulosates (*Bredereck, Rebenfeld*) . . . 820
Weiss, Louis C. Recovery and Strength of Chemically Modified Single Cotton Fibers (*Grant, George*) . . . 583
Welch, Clark M. Fibrous Chlorodeoxycellulose Yarn. Its Preparation, Properties, and Reaction With Nucleophilic Sulfur and Nitrogen Compounds (*Vigo*) . . . 109
White, M. A. A Ballistic Determination of the Toughness of Wool Staples (*Samson*) . . . 803
Whiteley, K. J. The Influence of Natural Variations in Fiber Properties on the Felting Characteristics of Loose Wool (*Chaudri*) . . . 297
The Relationships Between Loose-Wool Felting and Bulk Compressional Properties (*Chaudri*) . . . 775
The Swelling and Supercontraction of Sulfur-Enriched Wool Fibers (*Balasubramanian, Armstrong*)—**L** . . . 1047
Whitney, J. M. Mechanics of Cord-Reinforced Laminates—**L** . . . 386
Whitwell, J. C. Studies of Nonwovens. Part I: A Multivariable Approach (*Winchester*) . . . 458
Studies of Nonwovens. Part II: Mechanics of Lightly Bonded Fabrics (*Hubbell*) . . . 521
Willard, John J. Quantitative Evaluation of Flame-Retardant Cotton Finishes by the Limiting-Oxygen Index (LOI) Technique (*Wondra*) . . . 203
Wilson, Ruel L. Comparison of Methods for Estimating Fiber Fineness (*Houhiran, Terrill*) . . . 937
Winchester, S. C. Studies of Nonwovens. Part I: A Multivariable Approach (*Whitwell*) . . . 458
Winn, Marilyn Investment Behavior in the United States Textile Industry (*Dardis*) . . . 826
Wolfaardt, C. Theoretical Determination of the Standard Tightness Factor of the lxl Rib Structure—**L** . . . 760
Wondra, Richard E. Quantitative Evaluation of Flame-Retardant Cotton Finishes by the Limiting-Oxygen Index (LOI) Technique (*Willard*) . . . 203
Wood, G. F. Stereoscan Microscopy of Chlorine/Resin-Treated Wool (*Anderson, Katz, Lipson*) . . . 29

Zeronian, S. H. Reaction of Cellulosic Fabrics to Air Contaminated with Sulfur Dioxide . . . 695

SUBJECT INDEX

Absorption
phenomena in durable-press cotton fabric; microscopical view *Rollins, deGruy, Hensarling, Carra* . . . 903
Acrylics
pile fabric and fiber characteristics: relationship to directional reflectance properties *Johnson* . . . 650
Activation Energy
Arrhenius: effect of pH for diffusion into keratin fibers *Robbins, Scott*—**L** . . . 951
Adhesion
and autohesion in the system clay-cellulose *Schott* . . . 924
Analysis
identification of compounds from reaction of THPOH with secondary amines *Daigle, Reeves, Donaldson*—**L** . . . 580
Antistatics
antistatic effectiveness of spin finishes: relation with dielectric constant *Anton*—**L** . . . 954

Biological Degradation
enzymatic degradation: reveals bilateral structure *Kassenebeck* . . . 330
Blends
processing: preferential radial migration of fibers *Scardino, Lyons*—**L** . . . 573
yarns: effect of processing factors and fiber properties on the arrangement of fibers *Balasubramanian* . . . 129
contact angles from capillary rise between filaments in a V-configuration *Princen* . . . 1069

Carpets
Rugs
looped-pile: critical study of the mechanics *Olofsson*—**L** . . . 1135
(Response by El-Shiekh and Hersh) . . . 1137
testing: tetrapod walker vs floor trial *Laughlin, Lynch*—**L** . . . 478
Catalysis
acid catalysis: effect on reactivities of N-methylol agents with cotton cellulose *Vail, Kullman, Reeves, Barker* . . . 355
internal catalysis: effect of nature of quaternary ammonium substituent and mercerized on unmercerized state of cotton *Rowland, Brannan* . . . 101
Catalysts
catalysts containing magnesium and fluoroborate ions: to cross-link cotton cellulose *Kravetz, Ferrante* . . . 362
new catalyst systems: for reactions of cotton with dimethylolethyleneurea or dimethyloldihydroxyethyleneurea *Berni, Gomzales, Benerito* . . . 377
Cellulose
accessibility: determination by use of $D_2{}^{18}O$ and Mass Spectroscopy *Guthrie, Heinzelman*—**L** . . . 1133
action of sodium chlorite on cellulose and cellulose derivatives *Kantouch, Hebeish, El-Rafie* . . . 178
chemically modified: nature and proportion of cross links *Roberts, Brannan, Rowland* . . . 237
clay-cellulose system: adhesion and autohesion *Schott* . . . 924
cotton: diethylaminoethyl-substituted: thermal investigation *Hobart, Berni, Mack* . . . 1079
cotton: flame retardance in presence of flame-retarding compounds *Smith, Rawls, Felder, Klein* . . . 211
cotton: modified with tris(1-aziridinyl)phosphine oxide; extent of formation of ether linkages *Roberts, Rowland* . . . 401
cotton: modified with tris(1-aziridinyl)phosphine oxide; network formation *Rowland, Roberts, Stark* . . . 405
cotton: modified with tris(1-aziridinyl)phosphine oxide; structure of reagent residues *Roberts, Wade, Rowland* . . . 395
cotton: new catalyst system for cross-linking with formaldehyde *Kravetz, Ferrante* . . . 362
cross-linked with formaldehyde: changes in pore structure *Blouin, Martin, Rowland* . . . 959
cross-linking with ethylene urea derivatives having varying hydrogen-bonding capabilities; effects on physical properties and hydrogen-bonded structure *Stevens, Smith* . . . 749
fibers: x-ray studies on orientation of microfibrils in the primary wall *Patil*—**L** . . . 667

formaldehyde-crosslinked: significance of swelling at the time of cross-linking *Singh, Jain, Pande, Chipalkatti, Parikh* 940
formaldehyde-modified: degradation study *Gilbert, Smith* . . 720
gel-permeation properties: changes in pore structure produced by cross-linking with formaldehyde *Blouin, Martin, Rowland* 959
gel-permeation properties: comparison of structures of decrystallized cotton cross-linked with formaldehyde by various processes *Martin, Bertoniere, Blouin, Brannan, Rowland* . 8
hydroxyl groups: evidence regarding relative activations and accessibilities *Bullock, Rowland, Cirino* 313
native: microfibril as the original form of organization *Ruck, Pohle*—L 1048
purified: direct action of near-ultraviolet light *Reine, Arthur*—L 90
sheets: disposition of glucosidic rings *Manjunath, Venkataraman*—L 769
thermal behavior: after irradiation with ^{60}cobalt *Byrne, Arthur*—L 577
thermodynamics of sorption: three direct-dye mixtures *Porter, Perkins, Limb* 704
water-soluble ethers: degradation-profile comparison technique for mass spectrometric analysis *Harless, Anderson* 448
Cellulosates
potassium: formation and characterization *Bredereck, Weigmann, Rebenfeld* 820
Clothing
closure effectiveness of fabric systems in wind *Fonseca*—L . . 482
fabric systems in wind *Fonseca*—L 482
standard fatigues: effect of laundering and starching on insulation and vapor permeability *Levell, Breckenridge, Goldman* 281
woven cotton work uniforms: study of wear in service *Sarma, Ranganathan, Handu, Verma* 1017
Coagulation
uniaxially oriented acrylonitrile copolymer film in NASCN: anisotropic dimensional changes *Hayahara, Takao, Kishimoto* 93
Copolymers
Copolymerization
acrylonitrile copolymer: uniaxially oriented film in NaSCN; anisotropic dimensional changes *Hayahara, Takao, Kishimoto* 93
Cotton
bilateral structure: revealed by enzymatic degradation *Kassenbeck* 330
fabric: conditioned wrinkle recovery angles and structural features of cross links and reagent residues; modified with tris-(2-chloroethyl)phosphoramide *Roberts, Brannan, Rowland* . 699
fibers: from controlled growth environments; structure and properties *Grant, Egle, Mitcham, Powell* 740
flame retardancy: effect of amide, amine, nitrile nitrogen and phosphorus *Reeves, Perkins, Piccolo, Drake* 223
measurement of pore structure by gel-permeation technique *Blouin, Martin, Rowland* 809
morphology of secondary wall fibrils *Peterlin, Ingram* 345
reversal points: strong points *Warwicker, Simmens, Hallam*—L 1051
spiral angle *Morosoff, Ingram* 250
temperature and moisture regain changes during vacuum-steaming *Fell, Postle* 683
transformed center of gravity: a new concept of interpreting the fiber-length distribution properties *Iyengar*—L . 1132
untreated: interrelations of structural and physical properties *Egle, Grant* 158
wrinkle-resistant fabric: from methyl amide substitution and polymer treatment *Frick, Gautreaux, Reid*—L 290
yarn: effect of humidity and twist on strength *Eward, Hutchens*—L 292
Cotton Chemically Treated
bake-cure and wet-cure reactions with amines: nature and proportion of cross links *Roberts, Brannan, Rowland* . . 237
breathable, permanent water-repellent treatment *Deanin, Patel* . 970
cellulose: modified with tris(1-aziridinyl)phosphine oxide; network formation *Rowland, Roberts, Stark* 405
cellulose: modified with tris(1-aziridinyl)phosphine oxide; extent of formation of ether linkages *Roberts, Rowland* . . . 401
cellulose: modified with tris(1-aziridinyl)phosphine oxide; structure of reagent residues *Roberts, Wade, Rowland* 395
cross-linking with ethylene urea derivatives having varying hydrogen-bonding capabilities; effects on physica' properties and hydrogen-bonded structure *Stevens, Smith* 749
diethylaminoethyl-substituted cotton cellulose: thermal investigation *Hobart, Berni, Mack* 1079
durable-press cotton: treated with phosphonate finishes; fire retardance *Sanderson, Mueller, Swindler* 217
formaldehyde-modified celluloses: degradation study *Gilbert, Smith* 720
influence of some chemical and physical factors on flame retardancy *Reeves, Perkins, Piccolo, Drake* 223
mercerized: measurement of pore structure by gel-permeation technique *Blouin, Martin, Rowland* 809
methylol fatty alkyl carbamates: synthesis and applications to cotton *Bajaj, Sattur, Chipalkatti* 370
modified by butadieneepoxide catalyzed by zinc fluoborate; changes in fine structures *Jung*—L 1043
modified with tris(2-chloroethyl)phosphoramide: conditioned wrinkle recovery angles and structural features of cross links and reagent residues *Roberts, Brannan, Rowland* 699
new process for cyanoethylation *Compton, Martin, Gagarine* . 813
novel polyfluorourea finish for cotton *Egle, Ellzey* 185
principles of reactivity with nitrogenous agents *Vail, Kullman, Reeves, Barker* 355
reactions with dimethylolethyleneurea or dimethyloldihydroxyethyleneurea; mixed catalyst systems *Berni, Gonzales, Benerito* 377
recent developments in chemistry of cross-linking agents *Petersen* 335
single fibers: recovery and strength *Weiss, Grant, George* . . 583
structures: decrystallized cross-linked with formaldehyde by various processes: by gel permeation chromatography *Martin, Bertoniere, Blouin, Brannan, Rowland* 8
with caustic soda: effects on gross structure of fibers in yarns *Isings, Burgh*—L 766
with cross-linking agents in vapor phase: microscopical studies *Cannizzaro, Goynes, Rollins, Keating* 1087
with flame-retarding compounds: flame retardance *Smith, Rawls, Felder, Klein* 211
with inter- and intracrystalline swelling agents: electron-microscope study *Betrabet, Rollins* 917
with methyltrivinylphosphonium iodide and trivinylphosphine oxide *Vullo*—L 197
with potassium methoxide: formation and characterization of potassium cellulosates *Bredereck, Weigmann, Rebenfeld* . . . 820
with 3-chloro-2-hydroxypropyltrimethylammonium chloride or glycidyltrimethylammonium chloride: variations in delayed-curing via internal catalysis of reaction with divinyl sulfone and bis-(2-hydroxyethyl)sulfane *Rowland, Brannan* 101
Cotton Quality
diagnosis of damage in raw cotton by certain tests *Marsh, Simpson*—L 852
Creaseproofing
Crease Resistance
Creasing
conditioned wrinkle recovery angles: cotton fabrics modified with tris(2-chloroethyl)phosphoramide *Roberts, Brannan, Rowland* 699
creaseproofing cotton: by in situ polymerization of N-methylol acrylamide (NMA), acrylamide (AM), and tetrakis (hydroxymethyl) phosphonium chloride *Warburton* 68
durable creases: introduction and removal in wrinkle-resistant cotton fabric *Rowland, Brannan* 607
wrinkle recovery and physical properties: spun rayon fabric treated by the poly-set process *Ohe, Takagishi, Kuroda, Terrai, Matsuki, Matsukawa* 591
Creep
measurements of keratin fibers: reveal nature of variability *Mottram, Coad*—L 1134
Crimp
new decrimping equation *Stuart* 614
region of Merion wool fibers; cohesive set *Mitchell, Rigby*—L 949
three-dimensional: measurement *Brand, Kende* 169
Cross-Linking
agents: recent development in chemistry *Petersen* 335
cross-linking vapor-phase and polymer deposition on cotton fabrics *Brenner, Rugg, Liu* 318
cellulose with formaldehyde: changes in pore structure *Blouin, Martin, Rowland* 959
cellulose with formaldehyde: significance of swelling at the time of cross-linking *Singh, Jain, Pande, Chipalkatti, Parikh* 940
cotton cellulose with formaldehyde: new catalyst system *Kravetz, Ferrante* 362
cotton cellulose: with urea derivatives having varying hydrogen-bonding capabilities; effects on physical properties and hydrogen-bonded structure *Stevens, Smith* 749
cottons in vapor phase: microscopical studies *Cannizzaro, Goynes, Rollins, Keating* 1087
diepoxides as cross-linking agents in grafting proteins onto wool *Needles* 771
reagents: effect of treatment on insect resistance of bisulfite-set wool *Feldtman, Hoskinson, Jones*—L 948
Cross Links
methylene-dithiol in formaldehyde-treated keratin; evidence *Watt, Morris*—L 952
nature and proportion in a chemically modified cotton cellulose *Roberts, Brannan, Rowland* 237
Cuprammonium Fibers (see also **Man-Made Fibers**)
rate of fixation of reactive dyes: quantitative evaluation; use of methods of heterogeneous chemical kinetics and non-equilibrium thermodynamics *Krichevskii, Movshovich* . . . 793
curing
variations in delayed: via internal catalysis of reaction of cotton with divinyl sulfone *Rowland, Brannan* 101

Degradation
Deterioration
biological Tamarind kernel paste used in jute warp sizing *Datta, Basu* 728
enzymatic: to reveal bilateral structure of cotton *Kassenbeck* . 330
some formaldehyde-modified celluloses *Gilbert, Smith* . . . 720
thermal: *of wool Michlik, Kinger, Setnička, Krkoška, Blažej*—L 484
Detergency; Detergents (see aslo **Launderability, Laundering**)
contribution of influencing factors: analysis of variance *Komeda, Mino, Immamura, Tokiwa* 733
Dielectric Constants
relation with antistatic effectiveness of spin finishes *Anton*—L . 954
Differential Scanning Calorimetry (DSC)
cotton cellulose treated with flame-retarding compounds *Smith, Rawls, Felder, Klein* 211
Differential Thermal Analysis (DTA)
cotton cellulose treated with flame-retarding compounds *Smith, Rawls, Felder, Klein* 211
flame-retardant rayon fibers *Godfrey* 116
Diffusion
into keratin fibers: effect of pH on Arrhenius activation energy *Robbins, Scott*—L 951

Durable Press
cotton fabrics: importance of resin migration in improvement *Guenther, Maloney, Knoepfler*—L . . . 483
cotton fabrics: microscopic view of abrasion phenomena *Rollins, deGruy, Hensarling, Carra* . . . 903
cotton: treated with phosphonnate finishes: fire retardance *Sanderson, Mueller, Swidler* . . . 217
fabrics: removal of a synthetic sebum *Labhard, Morris* . . . 445
resins: wet fixation by salt-bath process *Tanquary, Liggett* . . 232

Drying
tumble-drying and machine-washing: effects on dimensional properties of plain-knit woolen fabrics *Knapton, Richards, Fong* . . . 543
tumble drying: effects on some sensory and physical properties of acrylic knitwear *Brown* . . . 536

Dyeing
cellophane film: with three direct dyes *Porter, Perkins* . . . 81
disperse: quantitative determination on synthetic fibers *Janoušek*—L . . . 192
fibrous materials with reactive dyes: quantitative evaluation of rate of fixation; use of methods of heterogeneous chemical kinetics and nonequilibrium thermodynamics *Krichevskii, Movshovich* . . . 793
kinetics: treatment as stochastic processes *Supenaker*—L . . . 1129
(Response by Milicevic)—L . . . 1130
mechanism: cellulose with sodium β-arylsulfonylethyl sulfates (Ramazols) *Bhagwanth, Daruwalla, Sharma, Venkataraman*—L . . . 392
resin-treated wool *Temin, Park* . . . 451
thermodynamics of sorption: three direct-dye mixtures on cellulose *Porter, Perkins, Limb* . . . 704
vat dyebath: sodium borohydride and stability against oxidation *Nair, Shah* . . . 303
vat: effect of sodium borohydride *Nair, Shah* . . . 303

Dyes
β-arylsulfonylethyl sulfates (Remazols): mechanism of dyeing cellulose *Bhagwanth, Daruwalla, Sharma, Venkataraman*—L . . . 392
direct: sorption thermodynamics on cellophane film *Porter, Perkins* . . . 81
disperse: physical state in cellulose triacetate films; electron-micrograph study *Johari*—L . . . 575
reactive: for wool; α-bromanthraquinone quinizarin-2-sulfonic acid *Seshadri, Mani* . . . 1106
reactive: for wool; o-Bromo-o'-hydroxyazo *Seshadri, Mani* . . 1111
reactive: physical state in cellulose; electron-micrograph study *Johari*—L . . . 575
reactive: quantitative evaluation of rate of fixation by fibrous materials; use of methods of heterogeneous chemical kinetics and nonequilibrium thermodynamics *Krichevskii, Movshovich* 793
Remazols (β-arylsulfonylethyl sulfates): mechanism of dyeing cellulose *Bhagwanth, Daruwalla, Sharma, Venkataraman*—L 392
three direct-dye mixtures: thermodynamics of sorption on cellulose *Porter, Perkins, Limb* . . . 704

Economics
investment behavior in the United States textile Industry *Winn, Dardis* . . . 826

Electron Microscopy
cottons reacted in vapor phase with cross-linking agent *Canizzaro, Goynes, Rollins, Keating* . . . 1087
cotton treated with inter- and intracrystalline swelling agents *Betrabet, Rollins* . . . 917
fiber cross sections *Anderson, Lipson*—L . . . 88
location and distribution: N-methylol acrylamide in radiation-induced delayed-cure process *Broughton, Rollins, Walsh*—L . . . 672
preparation of ultrathin films *Johari*—L . . . 293

Fabrics
acrylic pile characteristics: relationship to directional reflectance properties *Johnson* . . . 650
anion-exchange: prepared from sodium cellulosate *Berni, Soignet, Benerito* . . . 999
cellulosic: determination of phosphorus *Basch, Wasserman*—L . 676
cellulosic: reaction to air contaminated with sulfur dioxide *Zeronian* . . . 695
cotton: creaseproofing by in situ polymerization of N-methyl acrylamide (NMA), acrylamide (AM), and tetrakis (hydroxymethyl)phosphonium chloride (THPC) *Warburton* . . . 68
cotton: elastic behavior of polymer and its ability to improve wrinkle recovery *Rawls, Klein, Eyer*—L . . . 199
cotton: improved performance properties after vapor-phase deposition of polymers and cross-linking *Brenner, Rugg, Liu* . . 318
cotton: improved properties after treatment with methylol fatty alkyl carbamates *Bajaj, Sattur, Chipalkatti* . . . 370
cotton: laundering; effects of detergent type and water temperature on soil removal *Bubl* . . . 637
cotton: laundering; effect of detergent type and water temperature on appearance, hand, and cost *Morris* . . . 650
cotton: location and distribution of N-methylol acrylamide in radiation-induced delayed-cure process by means of electron microscopy *Broughton, Rollins, Walsh*—L . . . 672
cotton: new process for cyanoethylation *Compton, Martin, Gagarine* . . . 813
cotton permanent-press: important of resin migration in improvement *Guenther, Maloney, Knoepfler*—L . . . 483
cotton: quantitative evaluation of flame-retardant finishes by the LOI technique *Willard, Wondra* . . . 203
cotton: treatment with methyltrivinylphosphonium iodide and trivinylphosphine oxide *Vullo*—L . . . 197
cotton: vapor-phase deposition of polymers and cross-linking *Brenner, Rugg, Liu* . . . 318
DEAE: prepared from sodium cellulosate *Berni, Soignet, Benerito* 999
Doweave (triaxial fabrics): feasibility of weaving *Dow, Tranfield* . . . 986
durable-press cotton: microscopic view of abrasion phenomena *Rollins, deGruy, Hensarling, Carra* . . . 903
durable-press cotton: treated with phosphonate finishes; flame retardance *Sanderson, Mueller, Swidler* . . . 217
durable-press: removal of a synthetic sebum *Labhard, Morris* . 445
effect of dry friction on oscillatory behavior *Chow, Hermans* . 982
knit: made from blend yarns; moisture characteristics *Knight, Hersh, Brown* . . . 843
knitted wool: dimensional properties of 1 × 1 rib and half-cardigan structures in machine-washing and tumble-drying *Knapton, Fong* . . . 1095
knitted wool: separation of relaxation and felting shrinkage *Brown, Mehta*—L . . . 480
nonwoven: performance characteristics *Winchester, Whitwell* . 458
phosphorylated cotton: graft polymerization of vinyl and acrylic monomers *Gallagher* . . . 621
plain-knit all-wool: felting behavior *Knapton, Fong, Slinger*—L . . . 571
plain-knitted wool: dependence of felting shrinkage on fabric structure and wash action for dry chlorination *Baird, Foulds* 628
spun rayon, treated by the poly-set process: wrinkle recovery and physical properties *Ohe, Takagishi, Kuroda, Terrai, Matsuki, Matsukawa* . . . 591
viscose rayon: some properties after treatment with tetrakishydroxy phosphonium chloride (THPC) resins *Gandhi* . 437
triaxial (Doweave): feasibility of weaving *Dow, Tranfield* . . 986
wool: hand-knitted; felting shrinkage and dimensional properties *Baird* . . . 1064
woven cotton: study of wear of work uniforms in service *Sarma, Ranganathan, Handu, Verma* . . . 1017
woven: effect of heat-setting on the bending behavior *Skelton* . 1115
wrinkled, optical illusions, and FRL® Topometer *Abbott* . . 1026
wrinkle resistant cotton: from methylol amide substitution and polymer treatment *Frick, Gautreaux, Reid*—L . . . 290
wrinkle-resistant cotton: introduction and removal of durable creases *Rowland, Brannan* . . . 607

Fatigue
fatiguing by cyclic tension: lifetimes obtained by two loading methods *Lyons*—L . . . 855
textile fibers: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
textile fibers under cyclic tension: effects of temperature, stroke, and frequency on lifetimes *Lyons* . . . 60

Felting
behavior: plain-knit all-wool fabrics *Knapton, Fong, Slinger*—L 571
loose-wool: influence of natural variations in fiber properties *Chaudri, Whiteley* . . . 297
loose-wool: relationships with bulk compressional properties *Chaudri, Whiteley* . . . 775
shrinkage and dimensional properties: hand-knitted wool fabrics *Baird* . . . 1064
shrinkage of plain-knitted wool fabrics: dependence on fabric structure and wash action for dry chlorination *Baird, Foulds* . . . 628
in staple yarns: geometric mechanism and influence of the roving and drafting variables *Gupta* . . . 15

Fiber Fineness
comparison of methods for estimating *Houhiran, Terrill, Wilson* . . . 937

Fiber Migration
fibers in yarns: 3-layer structure of 19 filaments *Hearle, Goswami* . . . 598
in yarns: measurement of mixing *Bogdan, Hader, Alford* . . . 415
migration in yarns: 3-layer structure of 19 filaments *Hearle, Goswami* . . . 598
parallelization: affected by drawing-frame variables *Simpson, Sands, Fiori* . . . 42
polyhexamethylene terephthalamide (nylon 6-T): fine structure *Quynn* . . . 677
preferential radial: fibers in the processing of blends *Scardino, Lyons*—L . . . 573
wool and cotton: temperature and moisture regain changes during vacuum-steaming *Fell, Postle* . . . 683

Fibers
acrylic: relationship of characteristics to directional reflectance properties *Johnson* . . . 650
and other polymeric materials: scanning electron-microscope study ix of fractography *McKee, Beattie* . . . 1006
chemically modified single cotton: recovery and strength *Weiss, Grant, George* . . . 583
cotton: structure and properties; from controlled growth environments *Grant, Egle, Mitcham, Powell* . . . 740
cotton: wax content and its relation to moisture regain and tensile strength *Pandey, Iyengar* . . . 1053
cotton: x-ray studies on orientation of microfibrils in primary wall *Patil*—L . . . 667
fatiguing by cyclic tension at constant force-amplitude; man-made fibers and yarns *Lyons* . . . 836
flame-retardant rayon: DTA and TGA studies *Godfrey* . . . 116
graft photopolymerization of monomers onto: after sensitization with disodium anthraquinone-2-6-disulfonic acid *Needles*—L . . . 860
hooks: affected by drawing-frame variables *Simpson, Sands, Fiori* 42
in cotton yarns: effects of caustic soda on gross structure *Isings, Burgh*—L . . . 766
keratin: diffraction patterns at different extensions: importance of experimental conditions *Chapman* . . . 832

keratin: effect of pH on Arrhenius activation energy for diffusion into keratin fibers *Robbins, Scott*—L . . . 951
man-made: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
Nomex: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
polyamide: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
rate of fixation of reactive dyes: quantitative evaluation; use of methods of heterogeneous chemical kinetics and non-equilibrium thermodynamics *Krichevskii, Movshovich* . . . 793
viscose: measurement of internal surface area by negative adsorption of chloride ions *Nemade, Iyer, Jayaram*—L . . . 1050
wear produced on knitting needles and the effect of titanium dioxide content *Egerton, Fisher* . . . 784
wool mohair, and kemp: elastic moduli under ultrasonic pulse action *King, Kruger* . . . 865

Filaments
wetting: dynamic measurement *Dyba, Miller* . . . 884

Finishing
cotton: by salt-bath process *Tanquary, Liggett* . . . 232

Finishing Agents
N-methylol acrylamide: location and distribution in radiation-induced delayed-cure process by means of electron microscopy *Broughton, Rollins, Walsh*—L . . . 672
novel polyfluorourea: for cotton *Connick, Ellzey* . . . 185
spin: relation of antistatic effectiveness with dielectric constant *Anton*—L . . . 954
swollen and stretched cotton: short-term stress relaxation *Joshi, Radhakrishnan*—L . . . 1115
wool: natural variations in properties; influence on felting *Chaudri, Whiteley* . . . 297

Fixation
wet: durable-press resins; by salt-bath process *Tanquary, Liggett* 232

Flammability

Flameproofing

Flame Resistance
behavior of textiles: some effects of chemical composition *Tesoro, Meiser* . . . 430
cotton cellulose: in presence of flame-retarding compounds *Smith, Rawls, Felder, Klein* . . . 211
fiame resistance of viscose rayon fabrics treated with tetrakishydroxy phosphonium chloride (THPC) *Gandhi* . . . 437
influence of some chemical and physical factors *Reeves, Perkins, Piccolo, Drake* . . . 223
mechanism of action of different groups on cotton cellulose *Smith, Rawls, Felder, Klein* . . . 211
phosphonate finishes for durable-press cotton *Sanderson, Mueller, Swidler* . . . 217
quantitative evaluation of cotton finishes by the LOI technique *Willard, Wondra* . . . 203
wool: by treatment with bis(β-chloroethyl) vinyl phosphonate *Friedman, Tillin*—L . . . 1045

Fractography
studies of fractography of fibers and other polymeric materials *McKee, Beattie* . . . 1006

Friction
dry: effect on oscillatory behavior of fabrics *Chow, Hermans* . . . 982
interfiber: effect of variation, on hook removal during drawing *Mehta, Nahal* . . . 1131
shear: within card web specimens *Hertel, Lawson* . . . 472

Geometry
fiber geometry: influence on mechanical properties during processing; polyester fibers in webs and slivers *Scardino, Lyons* . . . 559
influence of fiber geometry on the mechanical properties of assemblies during processing *Scardino, Goswami, Lyons* . . . 932
theoretical determination of the standard tightness factor of the 1 × 1 rib structure *Wolfaardt*—L . . . 760

Grafting
acrylamide onto wool fibers: effect of polymerization accelerators *Needles*—L . . . 579
irradiation: and subsequent hydrolysis of synthetic fibers; structural changes revealed by infrared spectroscopic technique *Potnis, Shetty, Prakash*—L . . . 389
photopolymerization of monomers onto fibers sensitized by disodium anthraquinone-2,6-disulfonic acid *Needles*—L . . . 860
proteins onto wool with diepoxides as cross-linking agents *Needles* . . . 771

Hair
and wool: scanning electron microscopy of cortex and cuticle *Haly, Snaith, Anderson*—L . . . 1126
human: amino acid composition *Robbins, Kelly* . . . 891
oxidized: intermediate oxidation products in cystine *Nachtigal, Robbins* . . . 454

Hairiness
open-end yarns: measurement by a new procedure *Barella, Viaplana* . . . 267

Heat Phenomena
thermal behavior of ^{60}cobalt-irradiated *Byrne, Arthur*—L . . . 577
thermal investigation of diethylaminoethyl-substituted cotton cellulose *Hobart, Berni, Mack* . . . 1079

Heat Transfer
properties: ten underwear-outerwear ensembles *Fonseca* . . . 553

Hydrolysis
after irradiation grafting of synthetic fibers: structural changes revealed by infrared spectroscopic technique *Potnis, Shetty, Prakash*—L . . . 389

Insectproofing
insect resistance of bisulfite-set wool treated with cross-linking reagents *Feldtman, Hoskinson, Jones*—L . . . 948

Irradiation (see **Radiation**)

Jute
biological degradation of Tamarind kernel paste used in jute warp sizing *Datta, Basu* . . . 728
"White" varieties (*Corchorus capsularis*) comparative microscope study of fiber structure in relation to quality breeding *Maiti*—L . . . 1123

Keratin
alpha: fibrillar swelling *Heidemann, Halboth*—L . . . 861
fibers: diffraction patterns at different extensions; importance of experimental conditions *Chapman* . . . 832
fibers: effect of pH on Arrhenius activation energy for diffusion *Robbins, Scott*—L . . . 95
glutaraldehyde-keratin product; amino acid composition *Happich, Taylor, Feairheller*—L . . . 768
nature of variability: revealed by creep measurements *Mottram, Coad*—L . . . 1134
possible folded β-structure *Feughleman*—L . . . 1125
swelling in formic acid *Gillespie*—L . . . 853
treated with formaldehyde; evidence for methylene-dithiol cross links *Watt, Morris*—L . . . 952
wool: heat of phase transformation with amount of water and heating rate *Haly, Snaith* . . . 142

Kinetics
heterogeneous chemical: and nonequilibrium thermodynamics for quantitative evaluation of rate of fixation of reactive dyes by fibrous materials *Krichevskii, Movshovich* . . . 793

Knits

Knitwear
acrylic: effects of tumble-drying on some sensory and physical properties *Brown* . . . 536
wool, hand-knit: felting and dimensional properties *Baird* . . . 1064
made from blend yarns: moisture characteristics *Knight, Hersh, Brown* . . . 843
plain, all-wool; felting behavior *Knapton, Fong, Slinger*—L . . . 571
plain-knitted wool fabrics: dependence of felting shrinkage on fabric structure and wash action for dry chlorination *Baird, Foulds* . . . 628
relaxed plain-knitted structure: *a theoretical analysis Shanahan, Postle* . . . 656
theoretical determination of the standard tightness factor of the 1 × 1 rib structure *Wolfaardt*—L . . . 760
wool: effects of machine-washing and tumble-drying on dimensional properties of plain-knit structure *Knapton, Richards, Fong* . . . 543

Launderability

Laundering
fatty-soil transfer: PET and cellulose films; surfactant and aqueous solutions *Grindstaff, Patterson, Billica* . . . 35
and starching: effect on insulation and vapor permeability of standard fatigues *Levell, Breckenridge, Goldman* . . . 281
cotton fabric: effect of detergent type and water temperature on appearance, hand, strength, and cost *Bubl* . . . 644
cotton fabric: effects of detergent type and water temperature on soil removal *Bubl* . . . 637
machine-washing and tumble-drying: 1 × 1 rib and half-cardigan structures; dimensional properties *Knapton, Fong* . . . 1095
machine-washing and tumble-drying: effects on dimensional properties of plain-knit woolen fabrics *Knapton, Richards, Fong* . . . 543
machine-washing of wool *Swanepoel, Van Rooyen* . . . 516
removal of a synthetic sebum from durable-press fabrics *Labhard, Morris* . . . 445

Lifetimes
PET, APA, and PP fibers: under cyclic tension; effects of temperature, stroke, and frequency *Lyons* . . . 60

Light Microscopy
abrasion phenomena in durable-press cotton fabrics *Rollins, deGruy, Hensarling, Carra* . . . 903

Man-Mades
fibers and yarns: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
Nomex: fatiguing by cyclic tension at constant force-amplitude *Lyons* . . . 836
PET, APA, and PP fibers: fatiguing under cyclic tension; effects of temperature, stroke, and frequency on lifetimes *Lyons* . . . 60
structural changes on irradiation grafting and subsequent hydrolysis: revealed by infrared spectroscopic technique *Potnis, Shetty, Prakash*—L . . . 389
yarns: fatiguing by cyclic tension; lifetimes obtained by two loading methods *Lyons*—L . . . 855

Mechanical and Physical Properties
bending behavior: woven fabrics; effect of heat-setting *Skelton* 1115
bulk compressional properties: relationships with loose-wool felting *Chaudri, Whiteley* . . . 775
interrelations: structural and physical properties of untreated cottons *Egle, Grant* . . . 158
mechanical properties of assemblies during processing; influence of fiber geometry *Scardino, Goswami, Lyons* . . . 932
mechanical properties of assemblies during processing: influence of fiber geometry; polyester fibers in webs and slivers *Scardino, Lyons* . . . 559

XUM

physical properties and wrinkle recovery: spun rayon fabric treated by the poly-set process *Ohe, Takagishi, Kuroda, Terrai, Matsuki, Matsukawa* . . . 591
physical properties: cotton cellulose quaternary ammonium hydroxides *Rowland, Brannan* . . . 101
physical properties: viscose rayon fabrics treated with tetrakishydroxy phosphonium chloride (THPC) *Gandhi* . . . 437
recovery and strength: chemically modified single cotton fibers *Weiss, Grant, George* . . . 583
strength and mass variations in yarns *El-Behery, Mansour* . . 896
strength of cotton yarn: effects of humidity and twist *Ewald, Hutchens*—**L** . . . 292
stress-relaxation curves (Maxwell model) **and times** (Eyring's three-element model) *Joshi, Kothari*—**L** . . . 764
stress-strain behavior viewed in a scanning electron microscope; motion pictures *Van Veld, Bryant, Billica*—**L** . . . 1138
stress-strain curve: nylon parachute cloth *Edberg*—**L** . . . 674
tensile strength of cotton fiber: relation to wax content and moisture regain *Pandey, Iyengar* . . . 1053
toughness of wool staples: ballistic determination *Samson, White* . . . 803
variance in breaking-strength distribution: yarns raveled from chemically treated cotton fabrics; effect of cross-linking, polymer deposition, and rate of extension *Warburton* 75

Mechanics
looped-pile carpets: critical study *Olofsson*—**L** . . . 1135
El-Shiekh, Hersh—**L** . . . 1137

Melt Spinning
measurement of spin orientation *Dumbleton* . . . 1035

Migration (see **Fiber Migration**)

Models
Maxwell model (stress relaxation curves) vs Eyering's three-element model *Joshi, Kothari*—**L** . . . 764

Mohair
corona-discharge method to make shrink-resistant; pilot-scale top treatment reactor *Thorsen, Landwehr* . . . 688

Moisture Phenomena
moisture characteristics: knit fabrics made from blend yarns *Knight, Hersh, Brown* . . . 843

Moisture Regain
cotton fibers: relation to wax content and tensile strength *Pandey, Iyengar* . . . 1053

Molecular Structure
convolution angle: relationship to x-ray and birefringence orientation *Hebert, Giardina, Mitcham, Rollins* . . . 126
convolutions: effect on orientation measurements in cotton fibers *Hebert, Giardina, Mitcham, Rollins* . . . 126
internal architecture: potato and canna starch *Hall, Sayer* . . . 147
interrelations: structural and physical properties of untreated cottons *Egle, Grant* . . . 158
unconvoluted cotton: constant spiral angle independent of genetic variety *Hebert, Giardina, Mitcham, Rollins* . . . 126

Monomers
graft photopolymerization acrylamide and methyl acrylate: after sensitization with disodium anthraquinone-2,6-disulfonic acid *Needles*—**L** . . . 860
graft photopolymerization of acrylamide: after sensitization with disodium anthraquinone-2,6-disulfonic acid *Needles*—**L** . . . 860
graft photopolymerization of methyl acrylate: after sensitization with disodium anthraquinone-2,6-disulfonic acid *Needles*—**L** . . . 860

Morphology
secondary wall fibrils in cotton *Peterlin, Ingram* . . . 345

Mothproofing
rot resistance: some furan derivatives of cotton cellulose *Singh, Arthur*—**L** . . . 1128

Needles
knitting: wear produced by different fibers and the effect of titanium dioxide content *Egerton, Fisher* . . . 784
latch knitting: evaluation of wear by means of a scanning electron microscope *Egerton, Fisher* . . . 780

Nonwovens
mechanics, lightly bonded fabrics *Hubbell, Whitwell* . . . 521
studies: a multivariable approach *Winchester, Whitwell* . . . 458
wool bonded by aziridine-capped polyurethanes *Needles, Wasley*—**L** . . . 669

Nylon
hydrophillic surfaces: via radiation-chemical treatments *Hoffman, Berbeco* . . . 975
nylon 6-T(polyhexamethyleneterephthalmide: fine structure *Quynn* . . . 677
parachute cloth: stress-strain curve *Edberg*—**L** . . . 674

Optical Phenomena
optical illusions, wrinkled fabric, and FRL® Topometer *Abbott* 1026
transverse striations in extended wool fibers *Haly* . . . 965

Oscillation Phenomena
oscillatory behavior of fabrics: effect of dry friction *Chow, Hermans* . . . 982

pH
effect on Arrhenius activation energy for diffusion into keratin fibers *Robbins, Scott*—**L** . . . 951

Phase Transformations
heat: in wool keratin with amount of water and heating rate *Haly, Snaith* . . . 142

Photochemistry
direct action of near-ultraviolet light on purified cotton cellulose *Reine, Arthur*—**L** . . . 90

Polyester Fibers
420 Dacron fibers: fatiguing by cyclic tension; lifetimes obtained by two loading methods *Lyons*—**L** . . . 855
hydrophillic surfaces: via radiation-chemical treatments *Hoffman, Berbeco* . . . 975

Polyethyleneterephthalate
spin orientation measurements *Dumbleton* . . . 1035

Polymers

Polymerization
elastomeric behavior of a polymer and its ability to improve wrinkle recovery of cotton fabrics *Rawls, Klein, Eyer*—**L** . . . 199
fluoropolymers: surface tension; staining behavior study through contact angles in air and under water *Chan* . . . 1059
graft photopolymerization of monomers onto fibers sensitized by disodium anthraquinone-2,6-disulfonic acid *Needles*—**L** . . . 860
graft: vinyl and acrylic monomers in phosphorylayed cotton fabric *Gallagher* . . . 621
in situ polymerization: N-methylol acrylamide (NMA), acrylamide (AM), tetrakis (hydroxymethyl phosphonium chloride (THPC) *Warburton* . . . 68
polymers from polyvinylcyclohexane and polyvinylcyclopentane *Jamison*—**L** . . . 955
vapor-phase deposition of polymers and cross-linking on cotton fabrics *Brenner, Rugg, Liu* . . . 318

Proteins
grafting onto wool with diepoxides as cross-linking agents *Needles* . . . 771
insoluble: estimation of thiol and disulfide groups *Shah, Gandhi*—**L** . . . 857

Pyrolysis
cotton cellulose treated with flame-retarding compound: ΔH as a function of type of compounds added *Smith, Rawls, Fleder, Klein* . . . 211

Radiation
radiation-chemical treatments of nylon and polyester to produce hydrophillic surfaces *Hoffman, Berbeco* . . . 975

Radioactivity
^{14}carbon; use in fatty-soil deposition-transfer experiments *Grindstaff, Patterson, Billica* . . . 35

Rayon
flame-retardant fibers: DTA and TGA studies *Godfrey* . . . 116
spun fabric treated by the poly-set process: wrinkle recovery and physical properties *Ohe, Takagishi, Kuroda, Terrai, Matsuki, Matsukawa* . . . 591

Reactions
N-methylol agents with cotton cellulose in presence of acid catalysts *Vail, Kullman, Reeves, Barker* . . . 355
principles of reactivity with nitrogenous agents *Vail, Kullman, Reeves, Barker* . . . 355
reversible: methyl vinyl sulfone with cellulosic hydroxyl groups (relative activations and accessibilities) *Bullock, Rowland, Cirino* . . . 313
THPOH with secondary amines *Daigle, Reeves, Donaldson*—**L** 580

Reactivities
effect of intermediate ion stability of N-methylol agents *Vail, Kullman, Reeves, Barker* . . . 355
effect of leaving group on methylol agents *Vail, Kullman, Reeves, Barker* . . . 355
N-methylol agents: comparison *Vail, Kullman, Reeves, Barker* 355

Reflectance
directional: relationship to acrylic pile fabric and fiber characteristics *Johnson* . . . 650

Resins
durable-press: wet fixation by salt-bath process *Tanquary, Liggett* . . . 232
glyoxal-based: determination of DMDHEU by periodic-acid oxidation *Featherston*—**L** . . . 582
migration: importance in obtaining improved 100% cotton permanent-press fabrics *Guenther, Maloney, Knoepfler*—**L** 483

Rotproofing

Rot Resistance (see **Mothproofing**)

Rugs (see **Carpets**)

Scanning Electron Microscopy
cereal starches *Hall, Sayre* . . . 256
cortex and cuticle of wool and hair fiber *Haly, Snaith, Anderson*—**L** . . . 1126
stress-strain behavior; motion pictures *Van Veld, Bryant, Billica*—**L** . . . 1128
surface changes in chlorine/resin-treated wool *Anderson, Katz, Lipson, Wood* . . . 29

Set

Settability

Setting
cohesive set: in the crimp region of Merino wool fibers *Mitchell, Rigby*—**L** . . . 949
heat-setting: effect on bending behavior of woven fabrics *Skelton* . . . 1115
wool setting: action of thioglycollic acid and formation of disulfides *Asquith, Puri* . . . 273

Sewing
needle-fabric interactions: simulation *Khan, Hersh, Grady* . 489

Shrinkage
and supercontraction of sulfur-enriched wool fibers *Whiteley, Balasubramanian, Armstrong*—**L** . . . 1047
felting and dimensional properties of hand-knitted wool fabrics *Baird* . . . 1064
knitted wool fabrics: separation of relaxation and felting shrinkage *Brown, Mehta*—**L** . . . 480

Shrinkproofing
sulfation as a shrink-resist process *Maclaren, Kilpatrick* 880
wool by chlorine-resin treatment: surface changes studies by stereoscan microscopy *Anderson, Katz, Lipson, Wood* 29
Soiling (see also **Launderability, Laundering**)
deposition and transfer: fatty soils *Grindstaff, Patterson, Billica* 35
retention of selected fats on cotton: double-label radioactive tracer analysis *Sontag, Purchase, Smith* 529
Soil Release (see **Launderability, Laundering**)
Soil Removal (see **Launderability, Laundering**)
cotton fabric: effects of detergent type and water temperature *Bubl* 637
Sorption
thermodynamics: three direct-dye mixtures on cellulose *Porter, Perkins, Limb* 704
thermodynamics: three direct dyes on cellophane film *Porter, Perkins* 81
Spectroscopy
mass: and $D_2{}^{18}O$ to determine the accessibility of cellulose *Guthrie, Heinzelman*—**L** 1133
pmr spectra of methyl-α-D-glucopyranoside derivatives: effect of different substituents on chemical shifts and coupling constants *Gilbert, Moreland, Kammereck*—**L** 193
Starch
cereal: scanning electron-microscope study *Hall, Sayre* 256
potato and canna: internal architecture *Hall, Sayre* 147
Staining
behavior of fluoropolymers: study through contact angles in air and under water *Chan* 1059
Starching
and laundering: effect on insulation and vapor permeability of standard fatigues *Levell, Breckenridge, Goldman* 281
Stress Relaxation
short-term: swollen and stretched cotton fibers *Joshi, Radhakrishnan*—**L** 1121
Supercontraction (see **Set, Settability, Setting**)
Surface Tension
fluoropolymers: staining behavior study through contact angles in air and under water *Chan* 1059
Swelling
agents: inter- and intracrystalline; effect on cotton as shown by electron-microscope study *Betrabet, Rollins* 917
cotton yarns in base-salt-water systems: development of tension *Wade, George*—**L** 1042
significance at time of cross-linking cellulose with formaldehyde *Singh, Jain, Pande, Chipalkatti, Parikh* 940
Synthesis
methylol fatty alkyl carbamates and their applications to cotton *Bajaj, Sattur, Chipalkatti* 270

Testing Equipment and Procedures
automatic instrument for measurement of three-dimensional fiber crimp *Brand, Kende* 169
ballistic determination of toughness of wool staples *Samson, White* 803
comparison of methods for estimating fiber fineness *Houhiran, Terrill, Wilson* 937
corona-discharge method of producing shrink-resistant wool and mohair; pilot-scale top treatment reactor *Thorsen, Landwehr* 688
degradation-profile technique for mass spectrometric analysis of water-soluble cellulose ether *Harless, Anderson* 448
determination: alkyl phenyl polyoxyethylene surfactants in presence of anionic dyes *Datyner, Delaney*—**L** 665
determination: pentachlorophenol and pentachlorophenol laurate *Basch, Hirschmann*—**L** 670
determination: phosphorus in cellulosic fabrics *Basch, Wasserman*—**L** 676
determination: protein moisture content with an automatic elemental analyzer *Swanepoel, van Rensburg*—**L** 191
electronic fiber fineness instrument; wool top analysis *Hourihan, Terrill, Neil, Mackey* 244
estimation: thiol and disulfide groups in insoluble proteins *Shah, Gandhi*—**L** 857
gel-permeation chromatography: structures of decrystallized cotton cross-linked with formaldehyde by various processes *Martin, Bertoniere, Blouin, Brannan, Rowland* 8
improved method for rapid determination of grease on scoured wool *Samson* 712
infrared spectroscopic technique: to reveal structural changes on irradiation grafting and subsequent hydrolysis *Potnis, Shetty, Prakash*—**L** 389
iodine sorption test: factors affecting reproducibility and semimicro adaptation *Nelson, Rousselle, Cangemi, Trouard* . . . 872
LOI technique: quantitative evaluation of flame-retardant cotton finishes *Willard, Wondra* 203
measurement: internal surface area of viscose fibers by negative adsorption of chloride ions *Nemade, Iyer, Jayaram*—**L** . . . 1050
measurement: pore structure of unmodified and mercerized cotton fibers by gel-permeation technique *Blouin, Martin, Rowland* 809
measurement: torsion in monofilament textile structures *Szomanski, Postle*—**L** 762
method and instrument for measuring fiber hooks and parallelization *Simpson, Patureau*—**L** 956
new solubility test for wool: in studies on chemically modified wools *Kilpatrick, Maclaren* 25
quantitative determination of disperse dyes on synthetic fibers *Janoušek*—**L** 192
technique for comparative frictional measurements on wet fabrics *Schuck, Loeb*—**L** 957
tests to diagnose damage in raw cotton *Marsh, Simpson*—**L** . . 852
tetrapod walker vs floor trial in carpet testing *Laughlin, Lynch*—**L** 478
wool top analysis by an electronic fiber fineness instrument *Hourihan, Terrill, Neil, Mackey* 244
Textile Processing
card web specimens: shear friction within *Hertel, Lawson* . . 472
design of winding-speed programs: for cylindrical and tapered-end package *Hebberling* 48
drawing: effect of varying interfiber friction on hook removal *Mehta, Nahal*—**L** 1131
feasibility of weaving triaxial fabrics (Doweave) *Dow, Transfield* 986
mechanical properties of assemblies; influence of fiber geometry *Scardino, Goswami, Lyons* 932
performance: effect of drawing-frame variables *Simpson, Sands, Fiori* 42
Thermodynamics
nonequilibrium: and heterogeneous chemical kinetics for quantitative evaluation of rate of fixation of reactive dyes by fibrous materials *Krichevskii, Movshovich* 793
sorption: three direct-dye mixtures on cellulose *Porter, Perkins, Limb* 704
Thermogravimetric Analysis (TGA)
flame-retardant rayon fibers *Godfrey* 116
Tirecords
Tires
centrifugal effects: in inflated, bias-ply *Walter* 1
cord forces: and centrifugal effects in inflated, rotating bias-ply tires *Walter* 1
traveling-wave analysis *Ames* 504
traveling waves: literature review *Ames* 498
Tracer Technique
^{14}carbon: use in fatty-soil deposition-transfer experiments *Grindstaff, Patterson, Billica* 35
double-label radioactive tracer analysis: retention of selected fats on cotton and relation to yellowing *Sontag, Purchase, Smith* 529

Ultrasonics
pulses: effects on elastic moduli of wool, mohair, and kemp fibers *King, Kruger* 793, 865

Viscose
fibers: measurement of internal surface area by negative adsorption of chloride ions *Nemade, Iyer, Jayaram*—**L** 1050

Waterproofing
Water Resistance
breathable, permanent water-repellent treatment of cotton *Deanin, Patel* 970
Wettability
Wetting
dynamic measurements; single filaments *Dyba, Miller* . . . 884
Winding
design of winding-speed programs: for cylindrical and tapered-end package *Hebberling* 48

Wool
and hair: scanning electron microscopy of cortex and cuticle *Haly, Snaith, Anderson*—**L** 1126
corona-discharge method to make shrink-resistant pilot-scale top treatment reactor *Thorsen, Landwehr* 688
cystine content *Friedman, Noma* 1073
distribution of sodium and chloride ions between wool and salt solutions in neutral pH region *Shah, Gandhi* 508
extended: transverse striations *Haly* 965
Merino: cohesive set of fibers in the crimp region *Mitchell, Rigby*—**L** 949
natural variations in fiber properties; influence on felting of loose wool *Chaudri, Whiteley* 297
relationships between loose-wool felting and bulk compressional properties *Chaudri, Whiteley* 775
scoured: rapid determination of residual grease *Samson* 712
staples: ballistic determination of toughness *Samson, White* . . 803
sulfur-enriched: swelling and supercontraction *Whiteley, Balasubramanian, Armstrong*—**L** 1047
temperature and moisture regain changes during vacuum-steaming *Fell, Postle* 683
thermal degradation *Michlík, Klinger, Setnička, Krkoška, Blažej*—**L** 484
top analysis: by an electronic fiber fineness instrument *Hourihan, Terrill, Neil, Mackey* 244
Wool, Chemically Treated
bisulfite-set: effect of treatment with cross-linking reagents on insect resistance *Feldtman, Hoskinson, Jones*—**L** 948
changes: determined by new solubility test *Kilpatrick, Maclaren* 25
chlorine/resin-treated: surface changes studied by stereoscan microscopy *Anderson, Katz, Lipson, Wood* 29
fine structure: revealed by scanning electron microscopy *Anderson, Lipson*—**L** 88
glutaraldehyde-stabilized: amino acid composition *Happich, Taylor, Feairheller*—**L** 768
grafting of proteins: diepoxides as crosslinking agents *Needles* 771
graft polymerization of acrylamide: effect of polymerization accelerators *Needles*—**L** 579
oxidized: distribution of sodium and chloride ions between wool and salt solutions in neutral pH region *Shah, Gandhi* . . . 508
resin-treated: dyeing *Temin, Park* 451
sulfation: as a shrink-resist process *Maclaren, Kilpatrick* . . . 880
with bis(β-chloroethyl) vinyl phosphonate to impart flame resistance *Friedman, Tillin*—**L** 1045

with cold urea solutions *Asquith, Booth* 410
with methyl isothiocyanate: to inhibit sunlight yellowing *Caldwell, Milligan*—**L** 194
with thioglycollic acid: formation of mixed disulfides; relationship to wool setting *Asquith, Puri* 273
Wool Yellowing
inhibition of sunlight yellowing by treatment with methyl isothiocyanate *Caldwell, Milligan*—**L** 198
Wrinkling
fabrics: optical illusions and FRL® Topometer *Abbott* 1026

X-Rays
diffraction patterns at different extensions of keratin fibers; importance of experimental conditions *Chapman* 832
orientation of microfibrils in the primary wall of cotton fibers *Patil*—**L** 667

Yarns
abrasive properties: study with a scanning electron microscope *Egerton, Fisher* 780, 784, 788
blended: effect of processing factors and fiber properties on the arrangement of fibers *Balasubramanian* 129
chlorodeoxycellulose: conversion to cross-linked diaminodeoxycellulose *Vigo, Welch* 109
cotton: development of tension due to swelling in base-salt-water systems *Wade, George*—**L** 1042
cotton: effect of humidity and twist on strength *Ewald, Hutchens*—**L** 292
cotton: effects of caustic soda on gross structure *Isings, Burgh*—**L** 766
Dacron: fatiguing by cyclic tension; lifetimes obtained by two loading methods *Lyons*—**L** 855
fiber migration: geometric mechanism and influence of roving and drafting variables *Gupta* 15
fibrous chlorodeoxycellulose: conversion to fibrous thioethers *Vigo, Welch* 113
fibrous chlorodeoxycellulose: preparation, properties, and reaction with nucleophilic sulfur and nitrogen compounds *Vigo, Welch* 109
fibrous chlorodeoxycellulose: tensile strength and rot resistance *Vigo, Welch* 109
Fortrel: fatiguing by cyclic tension at constant force-amplitude *Lyons* 836
mass and strength variations *El-Behery, Mansour* 896
measurement of fiber mixing *Bogdan, Hader, Alford* 415
migration of fibers: 3-layer structure of 19 filaments *Hearle, Goswami* 598
monofilament: measurement of torsion *Szomanski, Postle*—**L** . 762
open-end: new procedure of measuring hairiness *Barella, Viaplana* 267
polyester: fatiguing by cyclic tension at constant force-amplitude *Lyons* 836
polyester: fatiguing by cyclic tension; lifetimes obtained by two loading methods *Lyons*—**L** 855
raveled from chemically treated cotton fabrics: variance in breaking strength; effect of cross-linking, polymer deposition, and rate of extension *Warburton* 75
rayon: reaction with potassium methoxide; formation and characterization of potassium cellulosates *Bredereck, Weigmann, Rebenfeld* 820
Yellowing
relation to retention of selected fats on cotton *Sontag, Purchase, Smith* 529
ultraviolet: amino acids, peptides, and soluble proteins *Asquith, Hirst, Rivett* 285

BOOKS REVIEWED AND NOTED

Advances in Polyurethane Technology. J. M. Buist and H. Gudgeon, Ed. New York, Wiley. 1969. xi + 311 pages. $12.00. 295
Annual Review of Fluid Mechanics, Vol. 1. William R. Sears and Milton Van Dyke, Editors. Palo Alto, Calif., Annual Reviews, Inc. 1969. vii + 459 pages. 488
1969 Book of ASTM Standards, Part 24: Textile Materials—Yarns, Fabrics, General Methods. Part 25: Textile Materials—Fibers and Zippers; High Modulus Fibers. Philadelphia, Pa., American Society for Testing and Materials. Part 24: xxi + 734 pages. $24.00. Part 25: xxii + 646 pages. $22.00. 295
Cellulases and Their Applications (Advances in Chemistry Series No. 95). George J. Hajny and Elwyn T. Reese, Symposium Co-Chairmen. Washington, D. C., American Chemical Society. 1969. x + 470 pages. $14.50. 488
Creaseproofing Textiles, 1970. M. W. Ranney. Park Ridge, New Jersey. Noyes Data Corporation. 1970. viii + 459 pages. $35.00 (paper bound). 488
Druck von Textilien, Mechanische und Chemische Technologie. Walter Bernard. Berlin, Heidelberg, New York, Springer-Verlag. 1969. vii + 355 pages. $17.25. 295
Dyeing of Synthetic Fibers. C. Whiting. Park Ridge, New Jersey, U. S. A., Noyes Development Corp. 1969. 261 pages. $35.00. 294
Engineer's Guide to High-Temperature Materials. Francis J. Clauss. Reading, Mass.; Menlo Park, Calif.; London; Don Mills, Ont.; Addison-Wesley Publishing Company. 1969. ix + 401 pages. $14.95. 295
Flame Retardant Textiles 1970. M. W. Ranney. Park Ridge, New Jersey. Noyes Data Corporation. 1970. vi + 372 pages. $35.00. 488
High-Temperature Resistant Polymers. A. H. Frazer. New York, London, Sydney, Toronto, Interscience. 1968. xiv + 338 pages. $17.50. 295
Physical Textile Testing. Atlanta, Georgia, U. S. A., W. R. C. Smith Publishing Company. 1969. 75 pages. $8.95. . . . 294
Plastics Rheology. R. S. Lenk. New York, Wiley-Interscience. 1969. xxv + 214 pages. 295
Polymer Conformation and Configuration. Frank A. Bovey. New York, London, Academic Press. 1969. x + 177 pages. $9.50. 488
Principles of Textile Testing, 3rd Edition. J. E. Booth. New York, Chemical Publishing Co., Inc. 1969. xiv + 567 pages. $17.50. 488
Structural Mechanics of Fibers, Yarns, and Fabrics, Volume 1. J. W. S. Hearle, P. Grosberg, and S. Backer. New York, London, Sydney, and Toronto, Wiley-Interscience. 1969. xiii + 469 pages. $22.50. 295
The Flow of High Polymers (Continuum and Molecular Rheology). Stanley Middleman. New York, London, Sydney, Toronto, Interscience. 1968. ix + 246 pages. $12.95. 295
The Plichto of Gioventura Rosetti. Sidney M. Edelstein and Hector C. Borghetty, translators. Cambridge, Mass., and London, England, The M.I.T. Press. 1969. xxxvi + 199 pages. $27.50. 294
Waterproofing Textiles, 1970. M. W. Ranney. Park Ridge, New Jersey, Noyes Data Corporation. 1970. vii + 352 pages. $45.00. 488
Wool Handbook, Volume 2, Part I: Spinning, Weaving, Knitting, 3rd Enlarged Edition. W. von Bergen, Ed. New York, London, Sydney, Toronto, Interscience. 1969. xx + 638 pages. $34.95. 295
X-Ray Diffraction Methods in Polymer Science. Leroy E. Alexander. New York, London, Sydney, Toronto, Wiley-Interscience. 1969. xv + 582 pages. $27.95. 488